

Professor Dr. Theodore E. Simos, Academician

List of Publications

23/5/2019

Research Papers

A. DOCTORAL DISSERTATION

D1. Theodore E. Simos, Numerical Solution Of Ordinary Differential Equations with Periodical Solution, Doctoral Dissertation, National Technical University Of Athens, 1990.

B. REVIEW PAPERS - MONOGRAPHS

R1. T.E. Simos and P.S. Williams, On finite difference methods for the solution of the Schrödinger equation, *Computers & Chemistry*, 23, 513-554(1999).

R2. J. Vigo-Aguiar and T.E. Simos, Review of multistep methods for the numerical solution of the radial Schrödinger equation, *INT J QUANTUM CHEM* 103 (3): 278-290 JUN 5 2005

R3. T.E. Simos, Atomic Structure Computations in **Chemical Modelling: Applications and Theory, Vol 1** (Editor: A. Hinchliffe, UMIST), pp. 38-142, The Royal Society of Chemistry, 2000. (after invitation).

R4. T.E. Simos, Numerical Methods for 1D, 2D and 3D Differential Equations Arising in Chemical Problems in **Chemical Modelling: Applications and Theory, Vol 2** (Editor: A. Hinchliffe, UMIST), pp. 170-270, The Royal Society of Chemistry, 2002. (after invitation).

R5 T.E. Simos, Numerical Methods in Chemistry in **Chemical Modelling: Applications and Theory, Vol 3** (Editor: A. Hinchliffe, UMIST), pp. 271-378, The Royal Society of Chemistry, 2004. (after invitation).

R6 T.E. Simos, Numerical Methods in Chemistry in **Chemical Modelling: Applications and Theory, Vol 4** (Editor: A. Hinchliffe, The University of Manchester), pp. 161-244, The Royal Society of Chemistry, 2006. (after invitation).

R7 T.E. Simos, Numerical Methods in Chemistry in **Chemical Modelling: Applications and Theory, Vol 5** (Editor: A. Hinchliffe, The University of Manchester), in press, The Royal Society of Chemistry, 2008. (after invitation).

R8 T.E. Simos, Numerical Methods in Chemistry in **Chemical Modelling: Applications and Theory, Vol 6** (Editor: Michael Springborg, Universitaet des Saarlandes), in press, The Royal Society of Chemistry, pp. 210-509, 2009. (after invitation).

R9. Z.A. Anastassi and T.E. Simos, Numerical Methods for the Efficient Solution of Problems in Quantum Mechanics, **Physics Reports**, **482-483**, 1-240(2009).

R10. T.E. Simos, Numerical Methods in Chemistry in **Chemical Modelling: Applications and Theory, Vol 7** (Editor: Michael Springborg, Universitaet des Saarlandes), The Royal Society of Chemistry, 2010, pp. 261-338, 2010, (after invitation).

R11. Z. Kalogiratou, Th. Monovasilis, G. Psihoyios, T.E. Simos, Runge–Kutta type methods with special properties for the numerical integration of ordinary differential equations, *Physics Reports*, Volume: 536 Issue: 3 Pages: 75-146 Published: MAR 20 2014

C. PAPERS AND TECHNICAL REPORTS

P1. G. Papageorgiou, T. Kalvouridis and Th. Simos: An application of the scaled Runge-Kutta algorithms to some problems of celestial mechanics, *Astrophysics and Space Science* 137, 129-138(1987).

P2. T. Kalvouridis, G. Papageorgiou and Th. Simos: A comparison of numerical integration methods in the equatorial magnetic-binary problem, *Astrophysics and Space Science* 139, 21-35(1987).

P3. G. Papageorgiou, Th. Simos and Ch. Tsitouras: Some new Runge-Kutta methods with interpolation properties and their application to the magnetic-binary problem, *Celestial Mechanics* 44, 167-177(1988).

P4. Th. Simos, T. Kalvouridis and G. Papageorgiou: Application of high order Runge-Kutta methods in the magnetic-binary problem, *Astrophysics and Space Science* 147, 271-285(1988).

P5. T. Kalvouridis, G. Papageorgiou and Th. Simos: On the integration of the magnetic-binary problem by Explicit-Runge-Kutta methods, Technical Report 1/1988, Department of Mathematics, National Technical University of Athens.

P6. C.D. Papageorgiou, A.D. Raptis and T.E. Simos: An algorithm for the solution of the eigenvalue Schrödinger equation, *Journal of Computational Physics*, 88, 477-483(1990).

P7. C.D. Papageorgiou, A.D. Raptis and T.E. Simos: A method for computing phase shifts for scattering, *Journal of Computational and Applied Mathematics*, 29, 61-67(1990).

P8. J.R. Cash, A.D. Raptis and T.E. Simos: A fortran program for the numerical integration of the one-dimensional Schrödinger equation using exponential and Bessel fitting methods, *Computer Physics Communications* 56, 391-407(1990).

P9. T.E. Simos: A four-step method for the numerical solution of the Schrödinger equation, *Journal of Computational and Applied Mathematics*, 30, 251-255(1990).

P10. J.R. Cash, A.D. Raptis and T.E. Simos: A sixth order exponentially-fitted method for the numerical solution of the radial Schrödinger equation, *Journal of Computational Physics* 91, 413-423(1990).

P11. T.E. Simos and A.D. Raptis: Numerov-type methods with minimal phase-lag for the numerical integration of the one-dimensional Schrödinger equation, *Computing*, 45, 175-181(1990).

P12. T.E. Simos: A two-step method with phase-lag of order infinity for the numerical integration of second order periodic initial-value problems, *International Journal of Computer Mathematics*, 39, 135-140(1991).

P13. T.E. Simos: Some new four-step exponential fitting methods for the numerical solution of the radial Schrödinger equation, *IMA Journal of Numerical Analysis*, 11, 347-356(1991).

P14. A.C. Allison, A.D. Raptis and T.E. Simos: An eighth order formula for the numerical integration of the one-dimensional Schrödinger equation, *Journal of Computational Physics*, 97, 240-248(1991).

P15. T.E. Simos: A Numerov-type method for the numerical solution of the radial Schrödinger equation, *Applied Numerical Mathematics*, 7, 201-206(1991).

P16. A.D. Raptis and T.E. Simos: A four-step phase-fitted method for the numerical integration of second order initial-value problem, *BIT*, 31, 160-168(1991).

P17. T.E. Simos: Explicit two - step methods with minimal phase-lag for the numerical integration of special second order initial value problems and their application to the one-dimensional Schrödinger equation, *Journal of Computational and Applied Mathematics*, 39, 89-94(1992).

P18. T.E. Simos and A.D. Raptis: A fourth order Bessel fitting method for the numerical solution of the Schrödinger equation, *Journal of Computational and Applied Mathematics*, 43, 313-322(1992).

P19. T.E. Simos: Exponential fitted methods for the numerical integration of the Schrödinger equation, *Computer Physics Communications*, 71, 32-38(1992).

P20. T.E. Simos: Two-step almost P-stable complete in phase methods for the numerical integration of second order periodic initial-value problems, *International Journal of Computer Mathematics*, 46, 77-85(1992).

P21. T.E. Simos: An explicit almost P-stable two-step method with phase-lag of order infinity for the numerical integration of second order periodic initial-value problems, *Applied Mathematics and Computation*, 49, 261-268(1992).

P22. A.B. Sideridis and T.E. Simos: A low order embedded Runge-Kutta method for periodic initial-value problems, *Journal of Computational and Applied Mathematics*, 44, 235-244(1992).

P23. T.E. Simos: High - order methods with minimal phase-lag for the numerical integration of the special second order initial value problem and their application to the one-dimensional Schrödinger equation, *Computer Physics Communications*, 74, 63-66(1993).

P24. T.E. Simos: A new variable step method for the numerical integration of special second order initial value problems and their application to the one-dimensional Schrödinger equation, *Applied Mathematics Letters*, 6, 67-73(1993).

P25. T.E. Simos: A family of two-step almost P-stable methods with phase-lag of order infinity for the numerical integration of second order periodic initial-value problems, *Japan Journal of Industrial and Applied Mathematics*, 10, 289-297(1993).

P26. T.E. Simos: A predictor-corrector phase-fitted method for $y''=f(x,y)$, *Mathematics and Computers in Simulation*, 35, 153-159(1993).

P27. T.E. Simos: A P-stable complete in phase Obrechhoff trigonometric fitted method for periodic initial value problems, *Proceedings of the Royal Society of London, Series A*, 441, 283-289(1993).

P28. T.E. Simos and A.B. Sideridis: Accurate numerical approximations to Initial Value Problems with Periodical Solutions, *Computing*, 50, 87-92(1993).

P29. T.E. Simos: A Runge-Kutta Fehlberg method with phase-lag of order infinity for initial value problems with oscillating solution, *Computers and Mathematics with Applications*, 25, 95-101(1993).

P30. T.E. Simos: Error analysis of exponential fitted methods for the numerical solution of the one-dimensional Schrödinger equation, *Physics Letters A*, 177, 345-350(1993).

P31. T.E. Simos: A high order predictor-corrector method for periodic ivps, *Applied Mathematics Letters*, 6, 9-12(1993).

P32. T.E. Simos: Runge-Kutta interpolants with minimal phase-lag, *Computers and Mathematics with Applications*, 26, 43-49(1993).

P33. T.E. Simos: New variable-step procedure for the numerical integration of the one-dimensional Schrödinger equation, *Journal of Computational Physics*, 108, 175-179(1993).

P34. T.E. Simos: A variable-step procedure for the numerical integration of the one-dimensional Schrödinger equation, *Computers in Physics*, 7, 460-464(1993).

P35. T.E. Simos: Embedded Runge-Kutta methods for periodic initial-value problems, *Mathematics and Computers in Simulation*, 35, 387-395(1993).

P36. T.E. Simos: Runge-Kutta-Nystrom interpolants for the numerical integration of special second-order periodic initial-value problems, *Computers and Mathematics with Applications*, 26, 7-15(1993).

P37. T.E. Simos: Some new variable-step methods with minimal phase-lag for the numerical integration of special 2nd-order initial value problems, *Applied Mathematics and Computation*, 64, 65-72(1994).

P38. T.E. Simos and G.V. Mitsou: A family of four-step exponential fitted methods for the numerical integration of the radial Schrödinger equation, *Computers and Mathematics with Applications*, 28, 41-50(1994).

P39. T.E. Simos and G.V. Mitsou: An expert system for the numerical solution of the one-dimensional Schrödinger equation, *Mathematics and Computers in Simulation*, 36, 195-202(1994).

P40. T.E. Simos, E. Dimas and A.B. Sideridis: A Runge-Kutta-Nystrom method for the numerical integration of special second order periodic initial value problems, *Journal of Computational and Applied Mathematics*, 51, 317-326(1994).

P41. T.E. Simos and G. Mousadis: Some new Numerov-type methods with minimal phase-lag for the numerical integration of the radial Schrödinger equation, *Molecular Physics*, 83, 1145-1153(1994).

P42. T.E. Simos: Efficient parallel methods for special second order Ordinary Differential Equations, *Parallel Algorithms and Applications*, 2, 245-250(1994).

P43. T.E. Simos: An explicit four - step phase-fitted method for the numerical integration of second order initial-value problems, *Journal of Computational and Applied Mathematics*, 55, 125-133(1994).

P44. T.E. Simos: Predictor-corrector phase-fitted methods for $y''=f(x,y)$ and an application to the Schrödinger equation, *International Journal of Quantum Chemistry*, 53, 473-483(1995).

P45. T.E. Simos and G. Mousadis: A two-step method for the numerical solution of the radial Schrödinger equation, *Computers and Mathematics with Applications*, 29, 31-37(1995).

P46. T.E. Simos: An explicit high order predictor-corrector method for periodic initial-value problems, *Mathematical Models and Methods in Applied Sciences*, 5, 159-166(1995).

P47. T.E. Simos: A new method for computing eigenvalues of the radial Schrödinger equation, *Chemical Physics Letters*, 235, 321-326(1995).

P48. T.E. Simos: Some low-order two-step almost P-stable methods with phase-lag of order infinity for the numerical integration of the radial Schrödinger equation, *International Journal of Modern Physics A*, 10, 2431-2438(1995).

P49. T.E. Simos: A family of four-step exponentially fitted predictor-corrector methods for the numerical integration of the Schrödinger equation, *Journal of Computational and Applied Mathematics*, 58, 337-344(1995).

P50. T.E. Simos: Modified Runge-Kutta-Fehlberg methods for periodic initial-value problems, *Japan Journal of Industrial and Applied Mathematics*, 12, 109-122(1995).

P51. G. Avdelas and T.E. Simos: Block Runge-Kutta methods for periodic initial-value problems, *Computers and Mathematics with Applications*, 31, 69-83(1996).

P52. G. Avdelas and T.E. Simos: Embedded methods for the numerical solution of the Schrödinger equation, *Computers and Mathematics with Applications*, 31, 85-102(1996).

P53. T.E. Simos: Exponential fitted methods for the numerical solution of the Schrödinger equation, *Journal of Computational Mathematics*, 14, 120-134(1996).

P54. T.E. Simos and G. Tougelidis: A variable-step algorithm for computing eigenvalues of the radial Schrödinger equation, *International Journal of Quantum Chemistry*, 59, 477-485(1996).

P55. R.M. Thomas, T.E. Simos and G.V. Mitsou: A family of Numerov-type exponentially fitted predictor-corrector methods for the numerical integration of the radial Schrödinger equation, *Journal of Computational and Applied Mathematics*, 67, 255-270(1996).

P56. R.M. Thomas, T.E. Simos and G.V. Mitsou: A family of Numerov-type exponentially fitted predictor-corrector methods for the numerical integration of the radial Schrödinger equation, *University of Manchester/UMIST Joint Numerical Analysis Report No 249*(1994).

P57. G. Avdelas and T.E. Simos, A generator of high-order embedded P-stable methods for the numerical solution of the Schrödinger equation, *Journal of Computational and Applied Mathematics*, 72, 345-358(1996).

P58. T.E. Simos and G. Tougelidis, A Numerov-type method for computing eigenvalues and resonances of the radial Schrödinger equation, *Computers & Chemistry*, 20, 397-401(1996).

P59. T.E. Simos, A new Numerov-type method for computing eigenvalues and resonances of the radial Schrödinger equation, *International Journal of Modern Physics C*, 7, 33-41(1996).

P60. T.E. Simos and P.S. Williams, Some modified Runge-Kutta methods for the numerical solution of some specific Schrödinger equations, *London Guildhall University, Department of Computing, Information Systems and Mathematics, Working Report 95/02*.

P61. T.E. Simos and P.S. Williams, Some modified Runge-Kutta methods for the numerical solution of some specific Schrödinger equations and related problems, *International Journal of Modern Physics A*, 11, 4731-4744(1996).

P62. T.E. Simos, A modified Runge-Kutta method for the numerical solution of ODE's with oscillation solutions, *Applied Mathematics Letters*, 9, 61-66(1996).

P63. T.E. Simos, Accurate computations for the elastic scattering phase-shift problem, *Computers & Chemistry*, 21, 125-128(1996).

P64. T.E. Simos and P.S. Williams, A finite difference method for the numerical solution of the Schrödinger equation, London Guildhall University, Department of Computing, Information Systems and Mathematics, Working Report 96/01.

P65. G. Papakaliatakis and T.E. Simos, A new method for the numerical solution of fourth order BVP's with oscillating solutions, *Computers and Mathematics with Applications*, 32, 1-6(1996).

P66. T.E. Simos and P.S. Williams, The numerical solution of the radial Schrödinger equation using Bessel and Neumann fitted methods, London Guildhall University, Department of Computing, Information Systems and Mathematics, Working Report 96/03.

P67. T.E. Simos, An eighth order method with minimal phase-lag for accurate computations for the elastic scattering phase-shift problem, *International Journal of Modern Physics C*, 7, 825-835(1996).

P68. T.E. Simos, Modified Runge-Kutta methods for the numerical solution of ODE's with oscillating solutions, *Applied Mathematics and Computation*, 84, 131-143, 1997.

P69. T.E. Simos and P.S. Williams, Bessel and Neumann fitted methods for the numerical solution of the radial Schrödinger equation, *Computers & Chemistry*, 21, 175-179(1997).

P70. T.E. Simos, A new finite difference scheme for the numerical solution of the Schrödinger equation, *Canadian Journal of Physics*, 75, 325-335(1997).

- P71. T.E. Simos and Ch. Tsitouras, A P-stable eighth order method for the numerical integration of periodic initial-value problems, *Journal of Computational Physics*, 130, 123-128(1997).
- P72. T.E. Simos, New Numerov-type methods for computing eigenvalues, resonances and phase shifts of the radial Schrödinger equation, *International Journal of Quantum Chemistry*, 62, 467-475(1997).
- P73. T.E. Simos, New P-stable high-order methods with minimal phase-lag for the numerical integration of the radial Schrödinger equation, *Physica Scripta*, 55, 644-650(1997).
- P74. T.E. Simos, Eighth order methods for elastic scattering phase-shifts, *International Journal of Theoretical Physics*, 36, 663-672(1997).
- P75. T.E. Simos, An extended Numerov-type method for the numerical solution of the Schrödinger equation, *Computers and Mathematics with Applications*, 33, 67-78(1997).
- P76. T.E. Simos, An accurate method for the numerical solution of the Schrödinger equation, *Modern Physics Letters A*, 12, 1891-1900(1997).
- P77. T.E. Simos and P.S. Williams, A finite difference method for the numerical solution of the Schrödinger equation, *Journal of Computational and Applied Mathematics*, 79, 189-205(1997).
- P78. G. Papakaliatakis and T.E. Simos, A finite difference method for the numerical solution of fourth order differential equations with engineering applications, *Computers and Structures*, 65, 491-495(1997).
- P79. T.E. Simos, An exponentially fitted method for the numerical solution of the Schrödinger equation, *Journal of Chemical Information and Computer Sciences*, 37, 343-348(1997).
- P80. T.E. Simos and P.S. Williams, A family of Numerov-type exponentially-fitted methods for the numerical integration of the Schrödinger equation, *Computers & Chemistry*, 21, 403-417(1997).
- P81. T.E. Simos, A simple accurate method for the numerical solution of the Schrödinger equation, *Helvetica Physica Acta*, 70, 781-792(1997).

P82. T.E. Simos and G. Tougelidis, An explicit eighth order method with minimal phase-lag for the numerical solution of the Schrödinger equation, *Computational Materials Science*, 8, 317-326(1997).

P83. T.E. Simos and P.S. Williams, A family of Numerov-type exponentially-fitted methods for the numerical integration of the Schrödinger equation, London Guildhall University, Department of Computing, Information Systems and Mathematics, Working Report 97/01.

P84. T.E. Simos, Eighth order methods for accurate computations for the Schrödinger equation, *Computer Physics Communications*, 105, 127-138(1997).

P85. T.E. Simos, Eighth order methods with minimal phase-lag for accurate computations for the elastic scattering phase-shift problem, *Journal of Mathematical Chemistry*, 21, 359-372(1997).

P86. R.M. Thomas and T.E. Simos, A family of hybrid exponentially fitted predictor-corrector methods for the numerical integration of the radial Schrödinger equation, *Journal of Computational and Applied Mathematics*, 87, 215-226(1997).

P87. T.E. Simos and G. Tougelidis, An explicit eighth order method with minimal phase-lag for accurate computations of eigenvalues, resonances and phase shifts, *Computers & Chemistry*, 21, 327-334(1997).

P88. T.E. Simos, An accurate exponentially-fitted four-step method for the numerical solution of the radial Schrödinger equation, *Molecular Simulation*, 20, 285-301(1998).

P89. Ch. Tsitouras and T.E. Simos, Explicit high order methods for the numerical integration of periodic initial-value problems, *Applied Mathematics and Computation*, 95, 15-26(1998).

P90. T.E. Simos and P.S. Williams, Computer algebra programmes for the construction of a family of Numerov-type exponentially-fitted methods for the numerical solution of the Schrödinger equation, *Computers & Chemistry*, 22, 185-218(1998). T.E. Simos and P.S. Williams, Computer algebra programmes for the construction of a family of Numerov-type exponentially-fitted methods for the numerical solution of the Schrödinger equation, London Guildhall

University, Department of Computing, Information Systems and Mathematics, Working Report 97/04.

P91. T.E. Simos, An accurate exponentially-fitted explicit four-step method for the numerical solution of the radial Schrödinger equation, *International Journal of Modern Physics A*, 13, 2613-2626(1998).

P92. T.E. Simos, Eighth order method for accurate computations for the elastic scattering phase-shift problem, *International Journal of Quantum Chemistry*, 68, 191-200(1998).

P93. T.E. Simos, A new hybrid imbedded variable-step procedure for the numerical integration of the Schrödinger equation, *Computers and Mathematics with Applications*, 36, 51-63(1998).

P94. T.E. Simos, An eighth order exponentially-fitted method for the numerical solution of the Schrödinger equation, *International Journal of Modern Physics C*, 9, 271-288(1998).

P95. T.E. Simos, New embedded explicit methods with minimal phase-lag for the numerical integration of the Schrödinger equation, *Computers & Chemistry*, 22, 433-440(1998).

P96. T.E. Simos, An accurate finite difference method for the numerical solution of the Schrödinger equation, *Journal of Computational and Applied Mathematics*, 91, 47-61(1998).

P97. T.E. Simos, Computer algebra program for constructing exponentially fitted methods for solution of the Schrödinger equation, *Computers in Physics*, 12, 290-295(1998).

P98. T.E. Simos and G. Tougelidis, New variable-step algorithms for computing eigenvalues of the one-dimensional Schrödinger equation, *Computational Mechanics*, 21, 424-428(1998).

P99. T.E. Simos, Some embedded modified Runge-Kutta methods for the numerical solution of some specific Schrödinger equations, *Journal of Mathematical Chemistry*, 24, 23-37(1998).

P100. T.E. Simos, Some modified Runge-Kutta methods for the numerical solution of initial-value problems with oscillating solutions, *Journal of Scientific Computing*, 13, 51-63(1998).

P101. T.E. Simos, A sixth order Bessel and Neumann fitted method for the numerical solution of the Schrödinger equation, *Molecular Simulation*, 21, 191-204(1999).

P102. T.E. Simos, High-algebraic, high-phase-lag methods for accurate computations for the elastic-scattering phase shift problem, *Canadian Journal of Physics*, 76, 473-493(1998).

P103. T.E. Simos, An eighth order exponentially-fitted method for the numerical integration of the Schrödinger equation, *Computers & Chemistry*, 22, 467-489(1998).

P104. T.E. Simos and G. Papakaliatakis, Modified Runge-Kutta Verner methods for the numerical solution of boundary value problems with engineering applications, *Applied Mathematical Modelling*, 22, 657-670(1998).

P105. T.E. Simos, An exponentially-fitted Runge-Kutta method for the numerical integration of initial-value problems with periodic or oscillating solutions, *Computer Physics Communications*, 115, 1-8(1998).

P106. T.E. Simos, Explicit sixth-order Bessel and Neumann fitted method for the numerical solution of the Schrödinger equation, *Computers in Physics*, 12, 635-640(1998).

P107. T.E. Simos, High algebraic order methods with minimal phase-lag for accurate solution of the Schrödinger equation, *International Journal of Modern Physics C*, 9, 1055-1071(1998).

P108. T.E. Simos, Explicit exponentially-fitted methods for the numerical solution of the Schrödinger equation, *Applied Mathematics and Computation*, 98, 199-208(1999).

P109. G. Papakaliatakis and T.E. Simos, A new finite difference method with minimal phase-lag for the numerical solution of differential equations with engineering applications, *Advances in Engineering Software*, 30, 103-107(1999).

P110. T.E. Simos, A new finite difference scheme with minimal phase-lag for the numerical solution of the Schrödinger equation, *Applied Mathematics and Computation*, 106, 245-264(1999).

P111. T.E. Simos, P-stable exponentially-fitted methods for the numerical integration of the Schrödinger equation, *Journal of Computational Physics*, 148, 305-321(1999).

P112. T.E. Simos, An expert system for the numerical solution of the radial Schrödinger equation, *Computers & Chemistry*, 23, 1-7(1999).

P113. T.E. Simos, Derivation of High Order Efficient Numerical Methods for $y''=f(x,y)$. A constrained optimization problem, *Journal of Statistics and Management Systems*, 2, 61-72(1999).

P114. T.E. Simos, A family of P-stable exponentially-fitted methods for the numerical solution of the Schrödinger equation, *Journal of Mathematical Chemistry*, 25, 65-84(1999).

P115. T.E. Simos, High algebraic order explicit methods with reduced phase-lag for an efficient solution of the Schrödinger equation, *International Journal of Quantum Chemistry*, 73, 479-496(1999).

P116. T.E. Simos, Dissipative high phase-lag order Numerov-type methods for the numerical solution of the Schrödinger equation, *Computers & Chemistry*, 23, 439-446(1999).

P117. T.E. Simos, Explicit eighth order methods for the numerical integration of initial-value problems with periodic or oscillating solutions, *Computer Physics Communications*, 119, 32-44(1999).

P118. T.E. Simos, High algebraic order methods for the numerical solution of the Schrödinger equation, *Molecular Simulation*, 22, 303-349(1999).

P119 T.E. Simos, An exponentially-fitted eighth order method for the numerical solution of the Schrödinger equation, *Journal of Computational and Applied Mathematics*, 108, 177-194(1999).

P120 T.E. Simos, A new Numerov-type exponentially-fitted method for the numerical integration of the Schrödinger equation, *Helvetica Physica Acta*, 72, 1-22(1999).

P121 G. Papakaliatakis and T.E. Simos, Integration of some constitutive relations of plain strain elastoplasticity using modified Runge-Kutta methods, *Civil Engineering and Environmental Systems*, 16, 77-92(1999)

P122. T.E. Simos and P.S. Williams, Exponentially-fitted Runge-Kutta third algebraic order methods for the numerical solution of the Schrödinger equation and related problems, *International Journal of Modern Physics C*, 10, 839-851(1999).

P123. G. Avdelas and T. E. Simos, Embedded eighth order methods for the numerical solution of the Schrödinger equation, *Journal of Mathematical Chemistry*, 26, 327-341(1999).

P124. Zacharoula Kalogiratou and T.E. Simos, A P-stable exponentially-fitted method for the numerical integration of the Schrödinger equation, *Applied Mathematics and Computation*, 112, 99-112(2000).

P125. G.Avdelas, T.E. Simos and J. Vigo-Aguiar, An embedded exponentially-fitted Runge-Kutta method for the numerical solution of the Schrödinger equation and related problems, *Computer Physics Communications*, 131, 52-67(2000).

P126. T.E. Simos and P.S. Williams, A P-stable hybrid exponentially-fitted method for the numerical integration of the Schrödinger equation, *Computer Physics Communication*, 131, 109-119(2000).

P127. T.E. Simos, Simple and accurate explicit Bessel and Neumann fitted methods for the numerical solution of the Schrödinger equation, *International Journal of Modern Physics C*, 11, 79-89(2000).

P128. α) P.S. Williams and T.E. Simos, Exponentially-fitted Runge-Kutta fourth algebraic order methods for the numerical solution of the Schrödinger equation and related problems, London Guildhall University, Department of Computing, Information Systems and Mathematics, Working Report No 99/01.
β) P.S. Williams and T.E. Simos, Exponentially-fitted Runge-Kutta fourth algebraic order methods for the numerical solution of the Schrödinger

equation and related problems, International Journal of Modern Physics C, 11, 785-807(2000).

P129. G. Avdelas, A. Konguetsof and T.E. Simos, A family of hybrid eighth order methods with minimal phase-lag for the numerical solution of the Schrödinger equation and related problems, International Journal of Modern Physics C, 11, 415-437(2000).

P130. T.E. Simos, An embedded Runge-Kutta method with phase-lag of order infinity for the numerical solution of the of Schrödinger equation, International Journal of Modern Physics C, 11, 1115-1133(2000).

P131. T.E. Simos and Jesus Vigo-Aguiar, A new modified Runge-Kutta-Nyström method with phase-lag of order infinity for the numerical solution of the Schrödinger equation and related problems, International Journal of Modern Physics C, 11, 1195-1208(2000).

P132. T.E. Simos, A new explicit Bessel and Neumann fitted eighth algebraic order method for the numerical solution of the Schrödinger equation, Journal of Mathematical Chemistry, 27, 343-356(2000).

P133. T.E. Simos, Preface (for the Millennium Issue of International Journal of Modern Physics C), International Journal of Modern Physics C, 11, 1079(2000).

P134. Jesus Vigo-Aguiar, Jose Maria Ferrandiz and T.E. Simos, Encke methods adapted to regularizing variables, International Journal of Modern Physics A, 25, 3993-4010(2000).

P135. G. Avdelas, A. Konguetsof and T.E. Simos, A generalization of Numerov's method for the numerical solution of the Schrödinger equation in two dimensions, Computers & Chemistry, 24, 577-584(2000).

P136. T.E. Simos, An accurate eighth order exponentially-fitted method for the efficient solution of the Schrödinger equation, Computer Physics Communications, 125, 21-59 (2000)

P137. T.E. Simos, Exponentially-fitted Runge-Kutta methods for the numerical solution of the Schrödinger equation and related problems, Computational Materials Science, 18, 315-322(2000).

P138. G. Avdelas and T.E. Simos, Dissipative high phase-lag order Numerov-type methods for the numerical solution of the Schrödinger equation. *Physical Review E*, 1375-1381(2000).

P139. G. Avdelas and T.E. Simos, On variable-step methods for the numerical solution of Schrödinger equation and related problems, *Computers & Chemistry* 25, 3-13(2001).

P140. T.E. Simos and P.S. Williams, New insights in the development of Numerov-type methods with minimal phase-lag for the numerical solution of the Schrödinger equation, *Computers & Chemistry* 25, 77-82(2001).

P141. G. Avdelas, A. Konguetsof and T.E. Simos, A generator of hybrid explicit methods for the numerical solution of the Schrödinger equation and related problems, *Computer Physics Communications*, 136, 14-28(2001).

P142. T.E. Simos and Jesus Vigo-Aguiar, A modified Runge-Kutta method with phase-lag of order infinity for the numerical solution of the of Schrödinger equation and related problems, *Computers & Chemistry*, 25, 275-281(2001).

P143. T.E. Simos and P.S. Williams, Dissipative exponentially-fitted methods for the numerical solution of the Schrödinger equation, *Computers & Chemistry*, 25, 261-273(2001).

P144. Jesus Vigo-Aguiar and T.E. Simos, A family of P-stable eighth algebraic order methods with exponential fitting facilities, *Journal of Mathematical Chemistry*, 29, 177-189(2001).

P145. G. Avdelas, E. Kefalidis and T.E. Simos, New P-stable exponentially-fitted methods for the numerical solution of the Schrödinger equation, *Computational Materials Science*, 21, 301-319(2001).

P146. T.E. Simos, Preface (for the Millennium Issue of *Computers & Chemistry*), *Computers & Chemistry*, 25, 1(2001).

P147. Jesus Vigo-Aguiar, T.E. Simos and A. Tocino, An adapted symplectic integrator for Hamiltonian problems, *International Journal of Modern Physics C*, 12, 225-234(2001).

P148. T.E. Simos, A dissipative exponentially-fitted method for the numerical solution of the Schrödinger equation, *Journal of Chemical Information and Computer Sciences*, 41, 909-917(2001).

P149. T.E. Simos, Bessel and Neumann Fitted Methods for the Numerical Solution of the Schrödinger equation, *Computers & Mathematics with Applications*, 42, 833-847(2001).

P150. G. Avdelas, A. Konguetsof and T.E. Simos, A generator and an optimized generator of high-order hybrid explicit methods for the numerical solution of the Schrödinger equation. Part 1. Development of the basic method, *Journal of Mathematical Chemistry*, 29, 281-291(2001).

P151. G. Avdelas, A. Konguetsof and T.E. Simos, A generator and an optimized generator of high-order hybrid explicit methods for the numerical solution of the Schrödinger equation. Part 2. Development of the generator, optimized generator and numerical results, *Journal of Mathematical Chemistry*, 29, 293-305(2001).

P152. T.E. Simos and Jesus Vigo-Aguiar, An exponentially-fitted high order method for long-term integration of periodic initial-value problems, *Computer Physics Communications*, 140, 358-365(2001).

P153. Jesus Vigo-Aguiar and T.E. Simos, An exponentially-fitted and trigonometrically-fitted for the numerical solution of orbital problems, *The Astronomical Journal*, 122, 1656-1660(2001).

P154. T.E. Simos and Jesus Vigo-Aguiar, A symmetric high-order method with minimal phase-lag for the numerical solution of the Schrödinger equation, *International Journal of Modern Physics C*, 12, 1035-1042(2001).

P155. T.E. Simos and Jesus Vigo-Aguiar, On the construction of efficient methods for second order IVPs with oscillating solution, *International Journal of Modern Physics C*, 12, 1453-1476(2001).

P156. T.E. Simos and J. Vigo-Aguiar, A modified phase-fitted Runge-Kutta method for the numerical solution of the Schrödinger equation, *Journal of Mathematical Chemistry*, 30, 121-131(2001).

P157. T.E. Simos, A fourth algebraic order exponentially-fitted Runge-Kutta method for the numerical solution of the Schrödinger equation, *IMA Journal of Numerical Analysis*, 21, 919-931(2001).

P158. A. Konguetsof and T.E. Simos, On the construction of exponentially-fitted methods for the numerical solution of the Schrödinger equation, *Journal of Computational Methods in Sciences and Engineering*, 1, 143-165(2001).

P159. Ch. Tsitouras and T.E. Simos, High algebraic, high phase-lag order embedded Numerov-type methods for oscillatory problems, *Applied Mathematics and Computation*, 131, 201-211(2002).

P160. G. Avdelas, A. Konguetsof and T.E. Simos, A generator of dissipative methods for the numerical solution of the Schrödinger equation, *Computer Physics Communications*, 148, 59-73(2002).

P161. T.E. Simos, Exponentially-fitted Runge-Kutta-Nyström method for the numerical solution of initial-value problems with oscillating solutions, *Applied Mathematics Letters*, 15, 217-225(2002).

P162. A. Konguetsof and T.E. Simos, P-stable eighth algebraic order methods for the numerical solution of the Schrödinger equation, *Computers & Chemistry*, 26, 105-111(2002).

P163. T.E. Simos, Exponentially-fitted and trigonometrically-fitted methods for long-time integration of orbital problems, *New Astronomy*, 7, 1-7(2002).

P164. T.E. Simos and J. Vigo-Aguiar, Symmetric eighth algebraic order methods with minimal phase-lag for the numerical solution of the Schrödinger equation, *Journal of Mathematical Chemistry*, 31, 135-144(2002).

P165. Ch. Tsitouras and T.E. Simos, Optimized Runge-Kutta pairs for problems with oscillating solutions, *Journal of Computational and Applied Mathematics*, 147, 397-409(2002).

P166. Z. Kalogiratou and T.E. Simos, Construction of trigonometrically and exponentially fitted Runge-Kutta-Nyström methods for the numerical solution of the Schrödinger equation and related problems, *Journal of Mathematical Chemistry*, 31, 211-232(2002).

P167. T.E. Simos and P.S. Williams, A new Runge-Kutta-Nyström method with phase-lag of order infinity for the numerical solution of the Schrödinger equation, *Communications in Mathematical and in Computer Chemistry (MATCH)*, 45, 123-137(2002).

P168. J. Vigo-Aguiar and T.E. Simos, Family of twelve steps exponentially fitting symmetric multistep methods for the numerical solution of the Schrödinger equation, *Journal of Mathematical Chemistry*, 32, 257-270(2002).

P169. G. Avdelas, E. Kefalidis and T.E. Simos, New P-stable eighth algebraic order exponentially-fitted methods for the numerical integration of the Schrödinger equation, *Journal of Mathematical Chemistry*, 31, 371-404(2002).

P170. T.E. Simos and J. Vigo-Aguiar, Exponentially fitted symplectic integrator, *Physical Review E*, 67, 016701-1 – 016701-7(2003).

P171. T.E. Simos and Jesus Vigo-Aguiar, A dissipative exponentially-fitted method for the numerical solution of the Schrödinger equation and related problems, *Computer Physics Communications*, 152, 274-294(2003).

P172. T.E. Simos, Exponentially-fitted and trigonometrically-fitted methods for the numerical solution of orbital problems, *New Astronomy*, 8, 391-400(2003).

P173. T.E. Simos, Dissipative trigonometrically-fitted methods for second order ivps with oscillating solution, *International Journal of Modern Physics C*, 13, 1333-1345(2002).

P174. G. Psihoyios and T.E. Simos, Trigonometrically-fitted symmetric multistep methods for the approximate solution of orbital problems, *New Astronomy*, 158, 135-144(2003).

P175. G. Psihoyios and T.E. Simos, Exponentially-fitted and trigonometrically-fitted explicit advanced step-point (EAS) methods for initial value problems with oscillating solutions, *International Journal of Modern Physics C*, 14, 175-184(2003).

P176. T.E. Simos, George Avdelas and Jesus Vigo-Aguiar, Preface of the Special Issue "Numerical Methods in Physics, Chemistry and Engineering", Computers and Mathematics with Applications, 45, xv(2003).

P177. A. Konguetsof and T.E. Simos, An exponentially-fitted and trigonometrically-fitted method for the numerical solution of periodic initial-value problems, Computers and Mathematics with Applications, 45, 547-554(2003).

P178. Z. Kalogiratou and T.E. Simos, Newton-Cotes formulae for long-time integration, Journal of Computational and Applied Mathematics, 158, 75-82(2003).

P179. Z. Kalogiratou, Th. Monovasilis and T.E. Simos, Symplectic integrators for the numerical solution of the Schrödinger equation, Journal of Computational and Applied Mathematics, 158, 83-92(2003).

P180. G. Psihoyios and T.E. Simos, Trigonometrically-fitted predictor-corrector methods for IVPs with oscillating solutions, Journal of Computational and Applied Mathematics, 158, 135-144(2003).

P181. A. Konguetsof and T.E. Simos, A generator of hybrid symmetric four-step methods for the numerical solution of the Schrödinger equation, Journal of Computational and Applied Mathematics, 158,93-106(2003).

P182. T.E. Simos and J. Vigo-Aguiar, Selected Proceedings of the International Conference on Computational and Mathematical Methods in Sciences and Engineering 2002 (CMMSE 2002), Alicante, Spain, 20-25 September, 2002, Preface of the Special Issue of the Journal of Computational and Applied Mathematics, Volume 158, Issue 1, pages: IX-IX, 2003.

P183. K. Tselios and T.E. Simos, Symplectic methods for the numerical solution of the radial Schrödinger equation, Journal of Mathematical Chemistry, 34, 83-94(2003).

P184. T.E. Simos, Exponentially-fitted and trigonometrically-fitted symmetric linear multistep methods for the numerical integration of orbital problems, Physics Letters A, 315, 437-446(2003).

P185. T.E. Simos, A family of trigonometrically-fitted symmetric methods for the efficient solution of the Schrödinger equation and related problems, *Journal of Mathematical Chemistry*, 34, 39-58(2003).

P186 J. Vigo-Aguiar, T.E. Simos and J.M. Ferrandiz, Controlling the error growth in long-term numerical integration of perturbed oscillations in one or several frequencies, *Proceedings of the Royal Society of London Series A*, 460 (2042), 561-567 (2004).

P187 T.E. Simos, Closed Newton-Cotes trigonometrically-fitted formulae for long-time integration, *International Journal of Modern Physics C*, 14, 1061-1074(2003).

P188 T.E. Simos, Multiderivative methods for the numerical solution of the Schrodinger equation, *Communications in Mathematical and in Computer Chemistry (MATCH)*, 50, 7-26(2004).

P189 K. Tselios and T.E. Simos, Symplectic methods of fifth order for the numerical solution of the radial Schrödinger equation, *Journal of Mathematical Chemistry*, 35, 55-63(2004).

P190 T.E. Simos, Dissipative trigonometrically fitted methods for the numerical solution of orbital problems, *New Astronomy*, 9, 59-68(2004).

P191 T.E. Simos, Exponentially - fitted multiderivative methods for the numerical solution of the Schrödinger equation, *Journal of Mathematical Chemistry* 36, 13-27, (2004)

P192 Z.A. Anastassi, T.E. Simos, Special optimized Runge-Kutta methods for IVPs with oscillating solutions, *International Journal of Modern Physics C* 15, 1-15(2004)

P193 T.E. Simos, Dissipative trigonometrically-fitted methods for linear second-order IVPs with oscillating solution, *Applied Mathematics Letters* 17, 601-607(2004),

P194 T.E. Simos, Trigonometrically-fitted partitioned multistep methods for the integration of orbital problems, *New Astronomy* 9, 409-415(2004).

P195. Z. Anastassi and T.E. Simos, A dispersive-fitted and dissipative-fitted explicit Runge-Kutta method for the numerical solution of orbital problems, NEW ASTRON 10 (1): 31-37 NOV 2004

P196. K. Tselios and T.E. Simos, Runge-Kutta methods with minimal dispersion and dissipation for problems arising from computational acoustics, J. COMPUT APPL MATH 175 (1): 173-181 MAR 1 2005

P197. D.P. Sakas, T.E. Simos, Multiderivative methods of eighth algebraic order with minimal phase-lag for the numerical solution of the radial Schrödinger equation J COMPUT APPL MATH 175 (1): 161-172 MAR 1 2005

P198. G. Psihoyios and T.E. Simos, A fourth algebraic order trigonometrically fitted predictor-corrector scheme for IVPs with oscillating solutions, J COMPUT APPL MATH 175 (1): 137-147 MAR 1 2005

P199. Z. Anastassi and T.E. Simos, An optimized Runge-Kutta method for the solution of orbital problems, J COMPUT APPL MATH 175 (1): 1-9 MAR 1 2005

P200. T.E. Simos and G. Psihoyios, Special issue - Selected Εργασίας of the International Conference on Computational Methods in Sciences and Engineering (ICCMSE 2003) Kastoria, Greece, 12-16 September 2003 - Preface, J COMPUT APPL MATH 175 (1): IX-IX MAR 1 2005

P201. T.E. Simos, A trigonometrically-fitted method for long-time integration of orbital problems, MATH COMPUT MODEL 40 (11-12): 1263-1272, DEC 2004

P202. T.E. Simos and I. Gladwell, Numerical solution of ODEs - Preface, MATH COMPUT MODEL 40 (11-12): XIII-XIII DEC 2004

P203. D.P. Sakas and T.E. Simos, A family of multiderivative methods for the numerical solution of the Schrödinger equation, J MATH CHEM 37 (3): 317-331 APR 2005

P204. G. Psihoyios and T.E. Simos, Sixth algebraic order trigonometrically fitted predictor-corrector methods for the numerical solution of the radial Schrödinger equation, J MATH CHEM 37 (3): 295-316 APR 2005

P205. Z. Anastassi and T.E. Simos, Trigonometrically fitted Runge-Kutta methods for the numerical solution of the Schrödinger equation, J MATH CHEM 37 (3): 281-293 APR 2005

P206. Z. Kalogiratou, T. Monovasilis and T.E. Simos, Numerical solution of the two-dimensional time independent Schrödinger equation with Numerov-type methods, J MATH CHEM 37 (3): 271-279 APR 2005

P207. T. Monovasilis, Z. Kalogiratou and T.E. Simos, Exponentially fitted symplectic methods for the numerical integration of the Schrödinger equation, J MATH CHEM 37 (3): 263-270 APR 2005

P208. T.E. Simos, Preface for the special issue on the international conference of computational methods in sciences and engineering 2003 (ICCMSE 2003), J MATH CHEM 37 (3): 191-191 APR 2005

P209. Z. Anastassi and T.E. Simos, A trigonometrically fitted Runge-Kutta method for the numerical solution of orbital problems, NEW ASTRON 10 (4): 301-309 MAR 2005

P210. T. Monovasilis and T.E. Simos, Numerical solution of the twodimensional time independent Schrödinger equation by third order symplectic schemes, CHEM PHYS 313 (1-3): 293-298 JUN 27 2005

P211. G. Psihoyios and T.E. Simos, A family of fifth algebraic order trigonometrically fitted P-C schemes for the numerical solution of the radial Schrödinger equation, MATCH-COMMUN MATH CO 53 (2): 321-344 2005

P212. D.P. Sakas and T.E. Simos, Trigonometrically-fitted multiderivative methods for the numerical solution of the radial Schrödinger equation, MATCH-COMMUN MATH CO 53 (2): 299-320 2005

P213. T.E. Simos and I. Gutman, Εργασία presented on the International Conference on Computational Methods in Sciences and Engineering (Castoria, Greece, September 12-16, 2003), MATCH-COMMUN MATH CO 53 (2): A3-A4, 2005

P214. T.E. Simos, Closed Newton-Cotes trigonometrically-fitted formulae for long-time integration of orbital problems, REVISTA MEXICANA DE ASTRONOMIA Y ASTROFISICA 42 (2): 167-177 OCT 2006

P215. T.E. Simos, Preface, JOURNAL OF MATHEMATICAL CHEMISTRY 40 (3): 195-195 OCT 2006

P216. T. Monovasilis, Z. Kalogiratou, T.E. Simos, Trigonometrically fitted and exponentially fitted symplectic methods for the numerical integration of the Schrödinger equation, JOURNAL OF MATHEMATICAL CHEMISTRY 40 (3): 257-267 OCT 2006

P217. G. Psihoyios, T.E. Simos, The numerical solution of the radial Schrödinger equation via a trigonometrically fitted family of seventh algebraic order Predictor-Corrector methods, JOURNAL OF MATHEMATICAL CHEMISTRY 40 (3): 269-293 OCT 2006

P218. T.E. Simos, A four-step exponentially fitted method for the numerical solution of the Schrödinger equation, JOURNAL OF MATHEMATICAL CHEMISTRY 40 (3): 305-318 OCT 2006

P219. T. Monovasilis and T.E. Simos, Symplectic and trigonometrically fitted symplectic methods of second and third order, PHYSICS LETTERS A 354 (5-6): 377-383 JUN 12 2006

P220. T.E. Simos and G. Psihoyios, Special issue: The International Conference on Computational Methods in Sciences and Engineering 2004 – Preface JOURNAL OF COMPUTATIONAL AND APPLIED MATHEMATICS 191(2): 165-165 JUL 1 2006

P221. D.S. Vlachos and T.E. Simos, PDSW: A program for the calculation of photon energy distribution resulting from radioactive elements in seawater COMPUTER PHYSICS COMMUNICATIONS 174 (5): 391-395 MAR 1 2006

P222. Z. Kalogiratou, T. Monovasilis and T.E. Simos, Computation of the eigenvalues of the one-dimensional Schrödinger equation by symplectic methods (vol 106, pg 795, 2006), INTERNATIONAL JOURNAL OF QUANTUM CHEMISTRY 106 (5): 1283-1283 APR 5 2006

P223. Z. Kalogiratou, T. Monovasilis and T.E. Simos, Computation of the eigenvalues of the one-dimensional Schrödinger equation by symplectic methods, INTERNATIONAL JOURNAL OF QUANTUM CHEMISTRY 106 (4): 795-802, MAR 15 2006

P224. T.E. Simos and G. Psihoyios, Untitled, MOLECULAR SIMULATION 31 (14-15): 1073-1073 DEC 2005

P225. T.E. Simos, A P-stable exponentially-fitted method for the numerical integration of the Schrödinger equation, MOLECULAR SIMULATION 31 (14-15): 1095-1100 DEC 2005

P226. T.E. Simos and J. Vigo-Aguiar, Special issue for The International Conference of Computational Methods in Sciences and Engineering 2003 (ICCMSE 2003) - Preface, MATHEMATICAL AND COMPUTER MODELLING 42 (7-8): Pages: 1-2 OCT 2005

P227. E.G. Varagouli, T.E. Simos and G.S. Xeidakis, Fitting a multiple regression line to travel demand forecasting: The case of the prefecture of Xanthi, Northern Greece, MATHEMATICAL AND COMPUTER MODELLING 42 (7-8): 817-836 OCT 2005

P228. Z.A. Anastassi and T.E. Simos, Trigonometrically fitted fifth-order Runge-Kutta methods for the numerical solution of the Schrödinger equation MATHEMATICAL AND COMPUTER MODELLING 42 (7-8): 877-886 OCT 2005

P229. G. Psihoyios and T.E. Simos, A new trigonometrically-fitted sixth algebraic order P-C algorithm for the numerical solution of the radial Schrödinger equation, MATHEMATICAL AND COMPUTER MODELLING 42 (7-8): 887-902 OCT 2005

P230. D.P. Sakas and T.E. Simos, A fifth algebraic order trigonometrically-fitted modified Runge-Kutta Zonneveld method for the numerical solution of orbital problems, MATHEMATICAL AND COMPUTER MODELLING 42 (7-8): 903-920 OCT 2005

P231. T.E. Simos, A family of fifth algebraic order trigonometrically fitted Runge-Kutta methods for the numerical solution of the Schrödinger equation COMPUTATIONAL MATERIALS SCIENCE 34 (4): 342-354 DEC 2005

P232. T.E. Simos, P-stable Four-Step Exponentially-Fitted Method for the Numerical Integration of the Schrödinger Equation, Computing Letters, 1(1), 37-45(2005)

P233. T.E. Simos TE, I.T. Famelis IT and C. Tsitouras, Zero dissipative, explicit Numerov-type methods for second order IVPs with oscillating solutions, NUMERICAL ALGORITHMS 34 (1): 27-40 SEP 2003

P234. G. Psihoyios, T. E. Simos, Effective Numerical Approximation of Schrödinger type Equations through Multiderivative Exponentially-fitted Schemes, Applied Numerical Analysis & Computational Mathematics, 1(1), 205-215(2004)

P235. G. Psihoyios, T. E. Simos, Efficient Numerical Solution of Orbital Problems with the use of Symmetric Four-step Trigonometrically-fitted Methods, Applied Numerical Analysis & Computational Mathematics, 1(1), 216-222(2004)

P236. P.S. Williams and T.E. Simos, A new family of exponentially fitted methods, MATHEMATICAL AND COMPUTER MODELLING 38 (5-6): 571-584 SEP 2003

P237. Th. Monovasilis and T.E. Simos, Symplectic methods for the numerical integration of the Schrödinger equation, Computational Materials Science, Volume 38, Issue 3, January 2007, 526-532

P238. T.E. Simos, Preface, Computational Materials Science, Volume 38, Issue 3, January 2007, Page vii

P239. T.E. Simos and G. Psihoyios, Preface, Applied Mathematics and Computation, Volume 184, Issue 1, 1 January 2007, Page 1

P240. T.E. Simos, Dimitrios D. Thomakos and Fragiskos Batzias, Preface, Mathematical and Computer Modelling, 46(1-2) 1 (2007).

P241. Kostas Tselios and T.E. Simos, Optimized Runge–Kutta methods with minimal dispersion and dissipation for problems arising from computational acoustics, Physics Letters A, 363, 38-47(2007).

P242. Th. Monovasilis, Z. Kalogiratou, T. E. Simos, Numerical Solution of the two-dimensional time independent Schrödinger Equation by symplectic schemes, Applied Numerical Analysis & Computational Mathematics, Volume 1, Issue 1, Date: March 2004, Pages: 195-204

P243. D. S. Vlachos, T. E. Simos, Partitioned Linear Multistep Method for Long Term Integration of the N-Body Problem, Applied Numerical Analysis & Computational Mathematics, Volume 1, Issue 2, Date: December 2004, Pages: 540-546

P244. Th. Monovasilis, Z. Kalogiratou, T. E. Simos, Trigonometrically and Exponentially fitted Symplectic Methods of third order for the Numerical Integration of the Schrödinger Equation Applied Numerical Analysis & Computational Mathematics, Volume 2, Issue 2, Date: August 2005, Pages: 238-244

P245. Z. Kalogiratou, Th. Monovasilis, T. E. Simos, A Symplectic Trigonometrically Fitted Modified Partitioned Runge-Kutta Method for the Numerical Integration of Orbital Problems, Applied Numerical Analysis & Computational Mathematics, Volume 2, Issue 3, Pages: 359-364, Date: December 2005,

P246. Z Anastassi and T.E. Simos, A family of exponentially-fitted Runge-Kutta methods with exponential order up to three for the numerical solution of the Schrodinger equation, JOURNAL OF MATHEMATICAL CHEMISTRY 40 (3): 79-100 OCT 2006

P247. Th. Monovasilis, T. E. Simos, New second-order exponentially and trigonometrically fitted symplectic integrators for the numerical solution of the time independent Schrödinger equation, JOURNAL OF MATHEMATICAL CHEMISTRY,42(3) 535-545(2007).

P248 T.E. Simos, Stabilization of a four-step exponentially-fitted method and its application to the Schrodinger equation INTERNATIONAL JOURNAL OF MODERN PHYSICS C 18 (3): 315-328 MAR 2007

P249 T. Monovasilis, Z. Kalogiratou, T.E. Simos, Families of third and fourth algebraic order trigonometrically fitted symplectic methods for the numerical integration of Hamiltonian systems, COMPUTER PHYSICS COMMUNICATIONS 177 (10): 757-763 NOV 15 2007

P250 T.E. Simos, Closed Newton-Cotes Trigonometrically-Fitted Formulae for Numerical Integration of the Schrödinger Equation, Computing Letters 3(1), pp. 45-57(13) (2007)

P251 T.E. Simos, High-order closed Newton–Cotes trigonometrically-fitted formulae for long-time integration of orbital problems, *Computer Physics Communications*, Volume 178, Issue 3, 1 February 2008, Pages 199-207

P252 Th. Monovasilis, Z. Kalogiratou and T.E. Simos, Computation of the eigenvalues of the Schrödinger equation by symplectic and trigonometrically fitted symplectic partitioned Runge–Kutta methods, *Physics Letters A*, Volume 372, Issue 5, 28 January 2008, Pages 569-573

P253 Z.A. Anastassi and T.E. Simos, Numerical Methods for the Efficient Solution of Problems in Quantum Mechanics, *Physics Reports*, in preparation (a letter of agreement between the authors and Elsevier has been signed).

P254 T.E. Simos, Closed Newton-Cotes trigonometrically-fitted formulae of high order for the numerical integration of the Schrödinger equation, *JOURNAL OF MATHEMATICAL CHEMISTRY* Volume: 44, Issue: 2 Pages: 483-499(2008)

P255 T.E. Simos, A family of four-step trigonometrically-fitted methods and its application to the Schrödinger equation, *JOURNAL OF MATHEMATICAL CHEMISTRY* Volume: 44 Issue: 2 Pages: 447-466(2008)

P256 D. Xenides, D.S. Vlachos, T.E. Simos, Synchronization in complex systems following a decision based queuing process: rhythmic applause as a test case, *JOURNAL OF STATISTICAL MECHANICS-THEORY AND EXPERIMENT* Article Number: P07017 Published: JUL 2008

P257 Z. A. Anastassi, T. E. Simos, New Trigonometrically Fitted Six-Step Symmetric Methods for the Efficient Solution of the Schrödinger Equation, *Communications in Mathematical and in Computer Chemistry (MATCH)* 60(3), 733-752(2008)

P258 T. V. Triantafyllidis, Z. A. Anastassi, T. E. Simos, Two Optimized Runge-Kutta Methods for the Solution of the Schrödinger Equation, *Communications in Mathematical and in Computer Chemistry (MATCH)* 60(3), 753-771(2008)

P259 G. A. Panopoulos, Z. A. Anastassi, T. E. Simos, Two New Optimized Eight-Step Symmetric Methods for the Efficient Solution of the Schrödinger

Equation and Related Problems, Communications in Mathematical and in Computer Chemistry (MATCH) 60(3), 773-785(2008)

P260 T. E. Simos, Closed Newton-Cotes Trigonometrically-Fitted Formulae for the Solution of the Schrödinger Equation, Communications in Mathematical and in Computer Chemistry (MATCH) 60(3), 787-801(2008)

P261 Z. A. Anastassi, T. E. Simos, A Six-Step P-stable Trigonometrically-Fitted Method for the Numerical Integration of the Radial Schrödinger Equation, Communications in Mathematical and in Computer Chemistry (MATCH) 60(3), 803-830(2008)

P262. T.E. Simos, Preface for the special issue on the International Conference of Computational Methods in Sciences and Engineering 2005 (ICCMSE 2005), Applied Mathematics and Computation, Volume 209, Issue 1, 1 March 2009, 1.

P263. Th. Monovasilis, Z. Kalogiratou, T.E. Simos, A family of trigonometrically fitted partitioned Runge–Kutta symplectic methods, Applied Mathematics and Computation, Volume 209, Issue 1, 1 March 2009, Pages 91-96

P264. T.E. Simos, High order closed Newton–Cotes trigonometrically-fitted formulae for the numerical solution of the Schrödinger equation, Applied Mathematics and Computation, Volume 209, Issue 1, 1 March 2009, Pages 137-151

P265. Z. Kalogiratou, Th. Monovasilis, T.E. Simos, Computation of the eigenvalues of the Schrödinger equation by exponentially-fitted Runge–Kutta–Nyström methods, Computer Physics Communications, Volume 180, Issue 2, February 2009, Pages 167-176

P266. T.E. Simos, P-stability, Trigonometric-fitting and the numerical solution of the radial Schrödinger equation, Computer Physics Communications, 180(7), 1072-1085(2009)

P267. D.S. Vlachos, Z. Anastassi and T.E. Simos, A New Family of Multistep Methods with Improved Phase Lag Characteristics for the Integration of Orbital Problems, The Astronomical Journal, 138(1), 86-94(2009).

P268. D.F. Papadopoulos, Z. Anastassi and T.E. Simos, A Phase-Fitted Runge-Kutta-Nyström method for the Numerical Solution of Initial Value Problems with Oscillating Solutions, *Computer Physics Communications*, Volume: 180 Issue: 10 Pages: 1839-1846 DOI: 10.1016/j.cpc.2009.05.014 Published: OCT 2009.

P269. S. Stavroyiannis and T.E. Simos, Optimization as a function of the phase-lag order of nonlinear explicit two-step P-stable method for linear periodic IVPs, *Applied Numerical Mathematics*, 59(10), 2467-2474(2009).

P270. T.E. Simos, Closed Newton-Cotes Trigonometrically-Fitted Formulae of High-Order for Long-Time Integration of Orbital Problems, *Applied Mathematics Letters*, 22(10), 1616-1621(2009).

P271. T.E. Simos, Exponentially and Trigonometrically Fitted Methods for the Solution of the Schrödinger Equation, *Acta Applicada Mathematicae*, Volume: 110 Issue: 3 Pages: 1331-1352 DOI: 10.1007/s10440-009-9513-6 Published: JUN 2010

P272. D.S. Vlachos, Z.A. Anastassi and T.E. Simos, High order phase fitted multistep integrators for the Schrödinger equation with improved frequency tolerance, *JOURNAL OF MATHEMATICAL CHEMISTRY* Volume: 46 Issue: 4 Pages: 1009-1049 Published: NOV 2009

P273. Z.A. Anastassi, D.S. Vlachos and T.E. Simos, A family of Runge-Kutta methods with zero phase-lag and derivatives for the numerical solution of the Schrödinger equation and related problems, *JOURNAL OF MATHEMATICAL CHEMISTRY* Volume: 46 Issue: 4 Pages: 1158-1171 Published: NOV 2009

P274. T.E. Simos, A.D. Zdetsis, G. Psihoyios and Z.A. Anastassi, Preface of the Special Issue on Mathematical Chemistry based on papers presented within ICCMSE 2005, *JOURNAL OF MATHEMATICAL CHEMISTRY* Volume: 46 Issue: 3 Special Issue: Sp. Iss. SI Pages: 727-728 Published: OCT 2009

P275. T.E. Simos, A new Numerov-type method for the numerical solution of the Schrödinger equation, *Proceedings of the International Conference on Computational Methods in Sciences and Engineering (ICCMSE 2005)*, OCT 21-26, 2005 Corinth, GREECE, *JOURNAL OF MATHEMATICAL CHEMISTRY* Volume: 46 Issue: 3 Special Issue: Sp. Iss. SI Pages: 981-1007 Published: OCT 2009

P276. G.A. Panopoulos, Z.A. Anastassi and T.E. Simos, Two optimized symmetric eight-step implicit methods for initial-value problems with oscillating solutions, JOURNAL OF MATHEMATICAL CHEMISTRY Volume: 46 Issue: 2 Pages: 604-620 Published: AUG 2009

P277. Z.A. Anastassi, D.S. Vlachos and T.E. Simos, A new methodology for the development of numerical methods for the numerical solution of the Schrödinger equation, JOURNAL OF MATHEMATICAL CHEMISTRY Volume: 46 Issue: 2 Pages: 621-651 Published: AUG 2009

P278. Z.A. Anastassi, D.S. Vlachos and T.E. Simos, A new methodology for the construction of numerical methods for the approximate solution of the Schrödinger equation, JOURNAL OF MATHEMATICAL CHEMISTRY Volume: 46 Issue: 2 Pages: 652-691 Published: AUG 2009

P279. D.S. Vlachos, Z.A. Anastassi and T.E. Simos, High order multistep methods with improved phase-lag characteristics for the integration of the Schrödinger equation, JOURNAL OF MATHEMATICAL CHEMISTRY Volume: 46 Issue: 2 Pages: 692-725 Published: AUG 2009

P280. Z.A. Anastassi and T.E. Simos, A family of two-stage two-step methods for the numerical integration of the Schrödinger equation and related IVPs with oscillating solution, Conference Information: Conference on Gene Around the World, FEB 29-MAR 01, 2008 Tripolie, GREECE, JOURNAL OF MATHEMATICAL CHEMISTRY Volume: 45 Issue: 4 Pages: 1102-1129 Published: APR 2009

P281 T.E. Simos, G. Psihoyios, Zacharias Anastassi, Preface, Mathematical and Computer Modelling, Volume 51, Issues 3-4, February 2010, p. 137

P282. C. Christodouleas, D. Xenides and T.E. Simos, Trends of the Bonding Effect on the Performance of DFT Methods in Electric Properties Calculations: A Pattern Recognition and Metric Space Approach on Some XY₂ (X = O, S and Y = H, O, F, S, Cl) Molecules, Journal of Computational Chemistry 31(2), 412-420(2010)

P283 A. A. Kosti · Z. A. Anastassi · T. E. Simos, An optimized explicit Runge-Kutta method with increased phase-lag order for the numerical solution of the Schrödinger equation and related problems, J Math Chem (2010) 47, pp. 315-330

P284. T.E. Simos, G. Psihoyios and Z. Anastassi, Proceedings of the International Conference of Computational Methods in Sciences and Engineering 2005 Preface, Mathematical and Computer Modelling 51(3-4), 137(2010)

P285. D.F. Papadopoulos, Z.A. Anastassi, T.E. Simos, An Optimized Runge-Kutta-Nyström Method for the Numerical Solution of the Schrödinger Equation and Related Problems, MATCH-COMMUNICATIONS IN MATHEMATICAL AND IN COMPUTER CHEMISTRY Volume: 64 Issue: 2 Pages: 551-566 Published: 2010

P286. I. Alolyan, T.E. Simos, High algebraic order methods with vanished phase-lag and its first derivative for the numerical solution of the Schrödinger equation, JOURNAL OF MATHEMATICAL CHEMISTRY Volume: 48 Issue: 4 Pages: 925-958 Published: NOV 2010

P287. I. Alolyan, T.E. Simos, Multistep methods with vanished phase-lag and its first and second derivatives for the numerical integration of the Schrödinger equation, JOURNAL OF MATHEMATICAL CHEMISTRY Volume: 48 Issue: 4 Pages: 1092-1143 Published: NOV 2010

P288. T.E. Simos, New closed Newton-Cotes type formulae as multilayer symplectic integrators, JOURNAL OF CHEMICAL PHYSICS Volume: 133 Issue: 10 Article Number: 104108 Published: SEP 14 2010

P289. Z. Kalogiratou, T. Monovasilis and T.E. Simos, New modified Runge-Kutta-Nyström methods for the numerical integration of the Schrödinger equation, COMPUTERS & MATHEMATICS WITH APPLICATIONS Volume: 60 Issue: 6 Pages: 1639-1647 Published: SEP 2010

P290. D.F. Papadopoulos, Z.A. Anastassi, T.E. Simos, A modified phase-fitted and amplification-fitted Runge-Kutta-Nyström method for the numerical solution of the radial Schrödinger equation, JOURNAL OF MOLECULAR MODELING Volume: 16 Issue: 8 Pages: 1339-1346 Published: AUG 2010

P291. S. Stavroyiannis, T.E. Simos, A nonlinear explicit two-step fourth algebraic order method of order infinity for linear periodic initial value problems, COMPUTER PHYSICS COMMUNICATIONS Volume: 181 Issue: 8 Pages: 1362-1368 Published: AUG 2010

P292. T. Monovasilis, Z. Kalogiratou and T.E. Simos, Symplectic Partitioned Runge-Kutta methods with minimal phase-lag, COMPUTER PHYSICS COMMUNICATIONS Volume: 181 Issue: 7 Pages: 1251-1254 Published: JUL 2010

P293. Ibraheem Alolyan and T.E. Simos, A family of eight-step methods with vanished phase-lag and its derivatives for the numerical integration of the Schrodinger equation, JOURNAL OF MATHEMATICAL CHEMISTRY Volume: 49 Issue: 3 Pages: 711-764, Published: MAR 2011

P294. P. Kosinski and T. Simos, Preface, APPLIED MATHEMATICS AND COMPUTATION Volume: 217 Issue: 11 Special Issue: SI Pages: 5015-5015, Published: FEB 1 2011

P295. G.A. Panopoulos, Z.A. Anastassi and T.E. Simos, A NEW SYMMETRIC EIGHT-STEP PREDICTOR-CORRECTOR METHOD FOR THE NUMERICAL SOLUTION OF THE RADIAL SCHRODINGER EQUATION AND RELATED ORBITAL PROBLEMS, INTERNATIONAL JOURNAL OF MODERN PHYSICS C Volume: 22 Issue: 2 Pages: 133-153, Published: FEB 2011

P296. I. Alolyan, T. E. Simos: On Eight-Step Methods with Vanished Phase-Lag and Its Derivatives for the Numerical Solution of the Schroedinger Equation, MATCH-COMMUNICATIONS IN MATHEMATICAL AND IN COMPUTER CHEMISTRY, Volume: 66, Issue: 2, pp. 473-546(2011)

P297. G.A. Panopoulos, Z.A. Anastassi and T.E. Simos, A symmetric eight-step predictor-corrector method for the numerical solution of the radial Schrödinger equation and related IVPs with oscillating solutions, Computer Physics Communications 182, 1626-1637(2011)

P298. A.A. Kosti, Z.A. Anastassi and T.E. Simos, Construction of an optimized explicit Runge–Kutta–Nyström method for the numerical solution of oscillatory initial value problems, Computers and Mathematics with Applications 61, 3381-3390(2011)

P299. D.F. Papadopoulos and T.E. Simos, A New Methodology for the Construction of Optimized Runge-Kutta-Nyström Methods, International Journal of Modern Physics C, Volume: 22 Issue: 6 Pages: 623-634 DOI: 10.1142/S012918311101649X Published: JUN 2011

P300. Ibraheem Alolyan and T. E. Simos, A family of ten-step methods with vanished phase-lag and its first derivative for the numerical solution of the Schrödinger equation, JOURNAL OF MATHEMATICAL CHEMISTRY, Volume: 49 Issue: 9 Pages: 1843-1888 DOI: 10.1007/s10910-011-9862-z Published: OCT 2011

P301. Ch. Tsitouras, I. Th. Famelis and T. E. Simos, On Modified Runge-Kutta Trees and Methods, Computers and Mathematics with Applications, Volume: 62 Issue: 4 Pages: 2101-2111 DOI: 10.1016/j.camwa.2011.06.058 Published: AUG 2011

P302. T.E. Simos, A.D. Zdetsis, G. Psihoyios and Z.A. Anastassi, Preface of the Special Issue on Mathematical Chemistry based on papers presented within ICCMSE 2005, JOURNAL OF MATHEMATICAL CHEMISTRY Volume: 46 Issue: 3 Special Issue: Sp. Iss. SI Pages: 727-728 Published: OCT 2009

P303. Theodore E. Simos, Optimizing a class of linear multi-step methods for the approximate solution of the radial Schrödinger equation and related problems with respect to phase-lag, Cent. Eur. J. Phys., 9(6), 2011, 1518-1535, DOI: 10.2478/s11534-011-0074-8

P304 T. E. Simos, A two-step method with vanished phase-lag and its first two derivatives for the numerical solution of the Schrödinger equation, JOURNAL OF MATHEMATICAL CHEMISTRY 49, 2486-2518(2011)

P305 Ibraheem Alolyan, T.E. Simos, A family of high-order multistep methods with vanished phase-lag and its derivatives for the numerical solution of the Schrödinger equation, Computers and Mathematics with Applications 62 (2011) 3756-3774

P306 Ibraheem Alolyan, T. E. Simos, New open modified trigonometrically-fitted Newton-Cotes type multilayer symplectic integrators for the numerical solution of the Schrödinger equation, Journal of Mathematical Chemistry, Volume: 50 Issue: 4 Pages: 782-804 DOI: 10.1007/s10910-011-9924-2 Published: APR 2012

P307 TH. MONOVASILIS, Z. KALOGIRATOU and T.E. SIMOS, TWO NEW PHASE-FITTED SYMPLECTIC PARTITIONED RUNGE-KUTTA METHODS, International Journal of Modern Physics C, 12(2011), 1343-1355

P308 T. E. Simos, High order closed Newton-Cotes exponentially and trigonometrically fitted formulae as multilayer symplectic integrators and their application to the radial Schrödinger equation, *Journal of Mathematical Chemistry*, Volume: 50 Issue: 5 Pages: 1224-1261 DOI: 10.1007/s10910-011-9965-6 Published: MAY 2012

P309 I. Alolyan, Z.A. Anastassi, T.E. Simos, A new family of symmetric linear four-step methods for the efficient integration of the Schrödinger equation and related oscillatory problems, *Applied Mathematics and Computation* 218 (2012) 5370-5382

P310 A.A. Kostj, Z.A. Anastassi, T.E. Simos, An optimized explicit Runge–Kutta–Nyström method for the numerical solution of orbital and related periodical initial value problems, *Computer Physics Communications* 183 (2012) 470-479

P311 T.E. Simos, Optimizing a Hybrid Two-Step Method for the Numerical Solution of the Schrödinger Equation and Related Problems with Respect to Phase-Lag, *Journal of Applied Mathematics*, Volume 2012, Article ID 420387, doi:10.1155/2012/420387

P312 T.E. Simos, New Stable Closed Newton-Cotes Trigonometrically Fitted Formulae for Long-Time Integration, *Abstract and Applied Analysis*, Volume 2012, Article ID 182536, doi:10.1155/2012/182536

P313 Z.A. Anastassi and T.E. Simos, A parametric symmetric linear four-step method for the efficient integration of the Schrödinger equation and related oscillatory problems, *Journal of Computational and Applied Mathematics*, 236 (2012) 3880-3889

P314 Ibraheem Alolyan and T. E. Simos, A new hybrid two-step method with vanished phase-lag and its first and second derivatives for the numerical solution of the Schrödinger equation and related problems, *Journal of Mathematical Chemistry*, Volume: 50 Issue: 7 Pages: 1861-1881 DOI: 10.1007/s10910-012-0008-8 Published: AUG 2012

P315 Ibraheem Alolyan and T. E. Simos, A new high order two-step method with vanished phase-lag and its derivatives for the numerical integration of the Schrödinger equation, *Journal of Mathematical Chemistry*, Volume: 50 Issue: 9 Pages: 2351-2373 DOI: 10.1007/s10910-012-0035-5 Published: OCT 2012

P316 Pawel Kosinski and Theodore E. Simos, Special issue on Numerical Analysis of Fluid Flow and Heat Transfer: Preface, APPLIED MATHEMATICS AND COMPUTATION Volume: 219 Issue: 7 Special Issue: SI Pages: 3291-3291 DOI: 10.1016/j.amc.2012.08.102 Published: DEC 1 2012

P317 T.E. Simos, New open modified Newton Cotes type formulae as multilayer symplectic integrators, Applied Mathematical Modelling 37 (2013) 1983-1991

P318 T. E. Simos, New high order multiderivative explicit four-step methods with vanished phase-lag and its derivatives for the approximate solution of the Schrödinger equation. Part I: Construction and theoretical analysis, Journal of Mathematical Chemistry (2013) 51 (1) , pp. 194-226

P319 Kostas Tselios and T. E. Simos, "Optimized Fifth Order Symplectic Integrators for Orbital Problems", Revista Mexicana de Astronomía y Astrofísica, (2013) 49 (1) , pp. 11-24

P320 Ibraheem Alolyan and T. E. Simos, High order four-step hybrid method with vanished phase-lag and its derivatives for the approximate solution of the Schrödinger equation, Journal of Mathematical Chemistry (2013) 51 (2) , pp. 532-555

P321 Th. Monovasilis, Z. Kalogiratou, T.E. Simos, Exponentially Fitted Symplectic Runge-Kutta-Nystrom methods, Appl. Math. Inf. Sci. 7(1), 81-85 (2013)

P322 G. A. Panopoulos and T. E. Simos, An Optimized Symmetric 8-Step Semi-Embedded Predictor-Corrector Method for IVPs with Oscillating Solutions, Appl. Math. Inf. Sci. 7(1), 73-80 (2013)

P323 Dimitris F. Papadopoulos and T.E. Simos, A Modified Runge-Kutta-Nystrom Method by using Phase Lag Properties for the Numerical Solution of Orbital Problems, Appl. Math. Inf. Sci. 7(2), 433-437 (2013)

P324 G.A. Panopoulos, Z.A. Anastassi and T.E. Simos, A New Eight-Step Symmetric Embedded Predictor-Corrector Method (EPCM) for Orbital Problems and Related IVPs with Oscillatory Solutions, Astronomical Journal (2013) 145 (3), art. no. 75, DOI: 10.1088/0004-6256/145/3/75

P325 Ibraheem Alolyan and T. E. Simos, A New Four-Step Runge-Kutta type Method with Vanished Phase-Lag and its First, Second and Third Derivatives for the Numerical Solution of the Schrödinger Equation, *Journal of Mathematical Chemistry* (2013) 51 (5) , pp. 1418-1445

P326 G.A. Panopoulos and T.E. Simos, A new optimized symmetric 8-step semi-embedded predictor-corrector method for the numerical solution of the radial Schrodinger equation and related orbital problems, *Journal of Mathematical Chemistry* (2013) 51 (7) , pp. 1914-1937

P327 D.F. Papadopoulos and T.E. Simos, The use of phase lag and amplification error derivatives for the construction of a modified Runge-Kutta-Nyström method, *Abstract and Applied Analysis* 2013 , art. no. 910624, DOI: 10.1155/2013/910624

P328 T.E.Simos, Accurately closed Newton-Cotes trigonometrically-fitted formulae for the numerical solution of the Schrodinger equation, *International Journal of Modern Physics C* 24 (3), art. no. 1350014, DOI: 10.1142/S0129183113500149 (2013)

P329 Ibraheem Alolyan and T. E. Simos, A new four-step hybrid type method with vanished phase-lag and its first derivatives for each level for the approximate integration of the Schrodinger equation, *JOURNAL OF MATHEMATICAL CHEMISTRY* Volume: 51 Issue: 9 Pages: 2542-2571 DOI: 10.1007/s10910-013-0227-7 Published: OCT 2013

P330 Ibraheem Alolyan and T. E. Simos, A Runge–Kutta type four-step method with vanished phase-lag and its first and second derivatives for each level for the numerical integration of the Schrödinger equation, *Journal of Mathematical Chemistry*, online first, in press

P331 T. E. Simos, An explicit four-step method with vanished phase-lag and its first and second derivatives, *Journal of Mathematical Chemistry*, online first, in press

P332 G. A. Panopoulos and T. E. Simos, A New Optimized Symmetric Embedded Predictor- Corrector Method (EPCM) for Initial-Value Problems with Oscillatory Solutions, *Applied Mathematics and Information Sciences*, Volume 8, No. 2, 703-713 (2014)

P333 T. E. Simos, On the Explicit Four-Step Methods with Vanished Phase-Lag and its First Derivative, Applied Mathematics and Information Sciences, Volume 8, No. 2, 447 -458 (2014)

P334 G.A. Panopoulos, T.E. Simos, A new phase-fitted eight-step symmetric embedded predictor–corrector method (EPCM) for orbital problems and related IVPs with oscillating solutions, Computer Physics Communications 185 (2014) 512-523

P335 T.E. Simos, A new explicit hybrid four-step method with vanished phase-lag and its derivatives, JOURNAL OF MATHEMATICAL CHEMISTRY Volume: 52 Issue: 7 Pages: 1690-1716 Published: AUG 2014

P336 T.E. Simos, An explicit linear six-step method with vanished phase-lag and its first derivative, JOURNAL OF MATHEMATICAL CHEMISTRY Volume: 52 Issue: 7 Pages: 1895-1920 Published: AUG 2014

P337 T.E. Simos, On the Explicit Four-Step Methods with Vanished Phase-Lag and its First Derivative, APPLIED MATHEMATICS & INFORMATION SCIENCES Volume: 8 Issue: 2 Pages: 447-458 Published: MAR 2014

P338 G.A. Panopoulos and T.E. Simos, A New Optimized Symmetric Embedded Predictor-Corrector Method (EPCM) for Initial-Value Problems with Oscillatory Solutions, APPLIED MATHEMATICS & INFORMATION SCIENCES Volume: 8 Issue: 2 Pages: 703-713 Published: MAR 2014

P339 T.E. Simos, An explicit four-step method with vanished phase-lag and its first and second derivatives, JOURNAL OF MATHEMATICAL CHEMISTRY Volume: 52 Issue: 3 Pages: 833-855 Published: MAR 2014

P340 Ibraheem Alolyan and T.E. Simos, A Runge-Kutta type four-step method with vanished phase-lag and its first and second derivatives for each level for the numerical integration of the Schrodinger equation, JOURNAL OF MATHEMATICAL CHEMISTRY Volume: 52 Issue: 3 Pages: 917-947 Published: MAR 2014

P341 Ibraheem Alolyan and T. E. Simos, A family of explicit linear six-step methods with vanished phase-lag and its first derivative, JOURNAL OF MATHEMATICAL CHEMISTRY, Volume 52, pp. 2087-2118(2014)

P342 Ibraheem Alolyan and T. E. Simos, A Hybrid Type Four-Step Method with Vanished Phase-Lag and its First, Second and Third Derivatives for Each Level for the Numerical Integration of the Schrödinger Equation, JOURNAL OF MATHEMATICAL CHEMISTRY, Volume: 52 Issue: 9 Pages: 2334-2379 Published: OCT 2014

P343 Z. Kalogiratou, Th. Monovasilis, T. E. Simos, A fourth order modified trigonometrically fitted symplectic Runge–Kutta–Nyström method, Computer Physics Communications, 185 (2014) 3151-3155

P344 T. E. Simos, A new explicit four-step method with vanished phase-lag and its first and second derivatives, JOURNAL OF MATHEMATICAL CHEMISTRY, Volume 53, Issue: 1, Pages: 402-429(2014)

P345 Ibraheem Alolyan and T.E. Simos, A Predictor-Corrector Explicit Four-Step Method with Vanished Phase-Lag and its First, Second and Third Derivatives for the Numerical Integration of the Schrödinger Equation, JOURNAL OF MATHEMATICAL CHEMISTRY, Volume 53, Issue: 2, Pages: 685-717(2014)

P346 Ibraheem Alolyan and T. E. Simos, A high algebraic order predictor–corrector explicit method with vanished phase-lag and its first, second, third and fourth derivatives for the numerical solution of the Schrödinger equation and related problems, JOURNAL OF MATHEMATICAL CHEMISTRY, Volume: 53, Issue: 7, Pages 1495-1522(2015)

P347 Fei Hui and Theodore E. Simos, Hybrid High Algebraic Order Two-Step Method with Vanished Phase-Lag and Its First and Second Derivatives, MATCH Commun. Math. Comput. Chem., Volume: 73, Pages: 619-648 (2015)

P348 Kenan Mu and T. E. Simos, A Runge–Kutta type implicit high algebraic order two-step method with vanished phase-lag and its first, second, third and fourth derivatives for the numerical solution of coupled differential equations arising from the Schrödinger equation, JOURNAL OF MATHEMATICAL CHEMISTRY, Volume: 53, Issue: 5, Pages: 1239-1256(2015)

P349 Ibraheem Alolyan and T. E. Simos, Efficient low computational cost hybrid explicit four-step method with vanished phase-lag and its first, second, third and fourth derivatives for the numerical integration of the Schrödinger equation, JOURNAL OF MATHEMATICAL CHEMISTRY, Volume: 53, Issue: 8, Pages: 1808-1834(2015)

P350 Hang Ning and T.E. Simos, High algebraic order Runge–Kutta type two-step method with vanished phase-lag and its first, second, third, fourth, fifth and sixth derivatives, *Computer Physics Communications*, Volume: 196, pages: 226-235(2015)

P351 G.A. Panopoulos and T.E. Simos, An eight-step semi-embedded predictor–corrector method for orbital problems and related IVPs with oscillatory solutions for which the frequency is unknown, *Journal of Computational and Applied Mathematics*, Volume: 290, Pages: 1–15(2015)

P352 Hang Ning and T. E. Simos, A low computational cost eight algebraic order hybrid method with vanished phase-lag and its first, second, third and fourth derivatives for the approximate solution of the Schrödinger equation, *JOURNAL OF MATHEMATICAL CHEMISTRY*, Volume: 53, Issue: 6, Pages: 1295-1312(2015)

P353 Ibraheem Aloyan and T. E. Simos, A high algebraic order multistage explicit four-step method with vanished phase-lag and its first, second, third, fourth and fifth derivatives for the numerical solution of the Schrödinger equation, *JOURNAL OF MATHEMATICAL CHEMISTRY*, Volume 53, Issue: 8, Pages: 1915-1942(2015)

P354 T. Monovasilis, Z. Kalogiratou & T. E. Simos, Construction of Exponentially Fitted Symplectic Runge–Kutta–Nyström Methods from Partitioned Runge–Kutta Methods, *Mediterranean Journal of Mathematics*, Volume 13, Issue 4, 2271-2285(2016)

P355 Junyan Ma and Theodore E. Simos, Runge–Kutta Type Tenth Algebraic Order Two–Step Method with Vanished Phase–Lag and its First, Second and Third Derivatives, *MATCH Commun. Math. Comput. Chem.*, Volume: 74, pages: 609-644(2015)

P356 Fei Hui and T. E. Simos, A new family of two stage symmetric two-step methods with vanished phase-lag and its derivatives for the numerical integration of the Schrödinger equation, *JOURNAL OF MATHEMATICAL CHEMISTRY*, Volume: 53, pages:2191-2213(2015)

P357 JUNYAN MA and T.E. SIMOS, HYBRID HIGH ALGEBRAIC ORDER TWO-STEP METHOD WITH VANISHED PHASE-LAG AND ITS FIRST, SECOND, THIRD, FOURTH AND FIFTH DERIVATIVES, *International Journal of Modern Physics C*, Vol. 27, No. 05, 1650049 (2016)

P358 Zhou Zhou and T.E. Simos, A New Two Stage Symmetric Two-Step Method with Vanished Phase-Lag and its First, Second, Third and Fourth Derivatives for the Numerical Solution of the Radial Schrödinger Equation, JOURNAL OF MATHEMATICAL CHEMISTRY, Volume 54, Issue 2, pp 442-465, 2016

P359 Ibraheem Alolyan and T. E. Simos, Family of Symmetric Linear Six-Step Methods with Vanished Phase-Lag and its Derivatives and their Application to the Radial Schrödinger Equation and Related Problems JOURNAL OF MATHEMATICAL CHEMISTRY, Volume 54, Issue 2, pp 466-502, 2016

P360 THEODORE E. SIMOS, MULTISTAGE SYMMETRIC TWO-STEP P-STABLE METHOD WITH VANISHED PHASE-LAG AND ITS FIRST, SECOND AND THIRD DERIVATIVES, Appl. Comput. Math., V.14, N.3, 2015, pp.296-315

P361 Higinio Ramos, Z. Kalogiratou, Th. Monovasilis & T. E. Simos, An optimized two-step hybrid block method for solving general second order initial-value problems, Numerical Algorithms, Volume 72, Issue 4, 1089-1102 (2016)

P362 Fei Hui and Theodore E. Simos, Four Stages Symmetric Two-Step P-Stable Method with Vanished Phase-Lag and its First, Second, Third and Fourth Derivatives, Appl. Comput. Math. Volume 15, Issue 2, 220-238(2016)

P363 Z. Kalogiratou, Th. Monovasilis, Higinio Ramos, T.E. Simos, A new approach on the construction of trigonometrically fitted two step hybrid methods, Journal of Computational and Applied Mathematics Volume 303, 146–155(2016)

P364 Zhou Zhou and Theodore E. Simos, Three-Stages Tenth Algebraic Order Two-Step Method with Vanished Phase-Lag and its First, Second, Third and Fourth Derivatives, MATCH Commun. Math. Comput. Chem., Volume: 75, pages: 653-694(2016)

P365 Minjian Liang and T. E. Simos, A new four stages symmetric two-step method with vanished phase-lag and its first derivative for the numerical integration of the Schrödinger equation, JOURNAL OF MATHEMATICAL CHEMISTRY, Volume 54, Issue 5, pp 1187-1211, 2016

P366 Jing Ma, Theodore E. Simos, Four–Stages High Algebraic Order Two–Step Method with Vanished Phase–Lag and its First, Second and Third Derivatives for the Numerical Integration of the Schrödinger Equation, *Journal of Computational and Theoretical Nanoscience*, in press

P367 Xiaopeng Xi, T.E. Simos, A New High Algebraic Order Four Stages Symmetric Two-Step Method with Vanished Phase-Lag and its First and Second Derivatives for the Numerical Solution of the Schrödinger Equation and Related Problems, *JOURNAL OF MATHEMATICAL CHEMISTRY*, Volume 54, Issue 7, pp 1417-1439, 2016

P368 Tao Lei and Theodore E. Simos, Four–Stages Twelfth Algebraic Order Two–Step Method with Vanished Phase–Lag and its First and Second Derivatives for the Numerical Solution of the Schrödinger Equation, *MATCH Commun. Math. Comput. Chem.* Volume 76, pages: 475-510 (2016)

P369 Ibraheem Alolyan · T. E. Simos, An implicit symmetric linear six-step methods with vanished phase-lag and its first, second, third and fourth derivatives for the numerical solution of the radial Schrödinger equation and related problems, *JOURNAL OF MATHEMATICAL CHEMISTRY*, Volume 54, Issue 4, 1010-1040 (2016)

P370 Ibraheem Alolyan · T. E. Simos, A family of embedded explicit six-step methods with vanished phase-lag and its derivatives for the numerical integration of the Schrödinger equation: development and theoretical analysis, *JOURNAL OF MATHEMATICAL CHEMISTRY*, Volume 54, Issue 5, 1159-1186 (2016)

P371 Ibraheem Alolyan · T. E. Simos, A family of two stages tenth algebraic order symmetric six-step methods with vanished phase-lag and its first derivatives for the numerical solution of the radial Schrödinger equation and related problems, *JOURNAL OF MATHEMATICAL CHEMISTRY*, Volume 54, Issue 9, 1835-1862 (2016)

P372 Ibraheem Alolyan · T. E. Simos, A new eight algebraic order embedded explicit six-step method with vanished phase-lag and its first, second, third and fourth derivatives for the numerical solution of the Schrödinger equation, *JOURNAL OF MATHEMATICAL CHEMISTRY*, Volume 54, Issue 8, 1696-1727 (2016)

P373 Ibraheem Alolyan · T. E. Simos, A New Two Stages Tenth Algebraic Order Symmetric Six-Step Method with Vanished Phase–Lag and its First and Second Derivatives for the Solution of the Radial Schrödinger Equation and Related Problems, JOURNAL OF MATHEMATICAL CHEMISTRY, Volume: 55 Issue: 1 Pages: 105-131 Published: JAN 2017

P374 Licheng Zhang and Theodore E. Simos, An Efficient Numerical Method for the Solution of the Schrödinger Equation, Advances in Mathematical Physics, Advances in Mathematical Physics, Volume 2016, Article ID 8181927, 20 pages, <http://dx.doi.org/10.1155/2016/8181927>

P375 Xin CHENG and Theodore E. Simos, A New Four–Stages High Algebraic Order Two–Step Method with Vanished Phase–Lag and its First, Second and Third Derivatives for the Numerical Solution of the Schrodinger Equation, MATCH Commun. Math. Comput. Chem. Volume: 77 Issue: 2 Pages: 527-568 Published: 2017

P376 Rong-an LIN and Theodore E. Simos, A New Algorithm for the Approximation of the Schrödinger Equation, Open Physics, Volume 14, pp. 628–642 (2016)

P377 Ming DONG, Theodore E. Simos, A New High Algebraic Order Efficient Finite Difference Method for the Solution of the Schrödinger Equation, Filomat, Volume: 31 Issue: 15 Pages: 4999-5012 Published: 2017

P378 Wei Zhang and T. E. Simos, A high-order two-step phase tted method for the numerical solution of the Schrödinger equation, Mediterranean Journal of Mathematics, 13, 5177–5194 (2016)

P379 Ibraheem Alolyan · T. E. Simos, New two stages high order symmetric six-step method with vanished phase–lag and its first, second and third derivatives for the numerical solution of the Schrödinger equation, JOURNAL OF MATHEMATICAL CHEMISTRY, Volume: 55 Issue: 2 Pages: 503-531 Published: FEB 2017

P380 Jianbin Zhao and T. E. Simos, A new fourteenth algebraic order finite difference method for the approximate solution of the Schrödinger equation, JOURNAL OF MATHEMATICAL CHEMISTRY, Volume: 55 Issue: 3 Pages: 697-716 Published: MAR 2017

P381 Xiaopeng XI and Theodore E. Simos, A New Four–Stages Twelfth Algebraic Order Two–Step Method with Vanished Phase–Lag and its First, Second, Third and Fourth Derivatives for the Numerical Solution of the Schrödinger Equation, MATCH Commun. Math. Comput. Chem. Volume: 77 Issue: 2 Pages: 333-392 Published: 2017

P382 Maxim A. Medvedev and T. E. Simos, Two stages six-step method with eliminated phase-lag and its first, second, third and fourth derivatives for the approximation of the Schrödinger equation, JOURNAL OF MATHEMATICAL CHEMISTRY, Volume: 55 Issue: 4 Pages: 961-986 Published: APR 2017

P383 Dmitriy B. Berg and T. E. Simos, High order computationally economical six-step method with vanished phase-lag and its derivatives for the numerical solution of the Schrödinger equation, JOURNAL OF MATHEMATICAL CHEMISTRY, Volume: 55 Issue: 4 Pages: 987-1013 Published: APR 2017

P384 Simos, T. E.; Tsitouras, Ch., Evolutionary generation of high-order, explicit, two-step methods for second-order linear IVPs, MATHEMATICAL METHODS IN THE APPLIED SCIENCES Volume: 40 Issue: 18 Pages: 6276-6284 Published: DEC 2017

P385 Simos, T. E.; Tsitouras, Ch., A new family of 7 stages, eighth-order explicit Numerov-type methods, MATHEMATICAL METHODS IN THE APPLIED SCIENCES Volume: 40 Issue: 18 Pages: 7867-7878 Published: DEC 2017

P386 Yang, Lan; Simos, T. E., An efficient and economical high order method for the numerical approximation of the Schrodinger equation, JOURNAL OF MATHEMATICAL CHEMISTRY Volume: 55 Issue: 9 Pages: 1755-1778 Published: OCT 2017

P387 Monovasilis, T.; Kalogiratou, Z.; Ramos, Higinio; Simos, T. E., Modified two-step hybrid methods for the numerical integration of oscillatory problems, MATHEMATICAL METHODS IN THE APPLIED SCIENCES Volume: 40 Issue: 14 Pages: 5286-5294 Published: SEP 30 2017

P388 Berg, Dmitriy B.; Simos, T. E., An efficient six-step method for the solution of the Schrodinger equation, JOURNAL OF MATHEMATICAL CHEMISTRY Volume: 55 Issue: 8 Pages: 1521-1547 Published: SEP 2017

P389 Ma, Jing; Simos, T. E., An efficient and computational effective method for second order problems, JOURNAL OF MATHEMATICAL CHEMISTRY Volume: 55 Issue: 8 Pages: 1649-1668 Published: SEP 2017

P390 Tsitouras, Ch.; Famelis, I. Th.; Simos, T. E., Phase-fitted Runge-Kutta pairs of orders 8(7), JOURNAL OF COMPUTATIONAL AND APPLIED MATHEMATICS Volume: 321 Pages: 226-231 Published: SEP 2017

P391 Berg, Dmitriy B.; Simos, T. E., Three stages symmetric six-step method with eliminated phase-lag and its derivatives for the solution of the Schrodinger equation, JOURNAL OF MATHEMATICAL CHEMISTRY Volume: 55 Issue: 5 Pages: 1213-1235 Published: MAY 2017

P392 Shi, Xin; Simos, T. E., New five-stages finite difference pair with optimized phase properties, JOURNAL OF MATHEMATICAL CHEMISTRY Volume: 56 Issue: 4 Pages: 982-1010 Published: APR 2018

P393 Medvedev, Maxim A.; Simos, T. E., A new six-step algorithm with improved properties for the numerical solution of second order initial and/or boundary value problems, JOURNAL OF MATHEMATICAL CHEMISTRY Volume: 56 Issue: 4 Pages: 1206-1233 Published: APR 2018

P394 Medvedev, Maxim A.; Simos, T. E., A new three-stages six-step finite difference pair with optimal phase properties for second order initial and/or boundary value problems with periodical and/or oscillating solutions, JOURNAL OF MATHEMATICAL CHEMISTRY Volume: 56 Issue: 4 Pages: 1280-1312 Published: APR 2018

P395 Liu, Chenglian; Simos, T. E., A five-stages symmetric method with improved phase properties, JOURNAL OF MATHEMATICAL CHEMISTRY Volume: 56 Issue: 4 Pages: 1313-1338 Published: APR 2018

P396 Berg, Dmitriy B.; Simos, T. E., A new multistep finite difference pair for the Schrodinger equation and related problems, JOURNAL OF MATHEMATICAL CHEMISTRY Volume: 56 Issue: 3 Pages: 656-686 Published: MAR 2018

P397 Zheng, Jinbin; Liu, Chenglian; Simos, T. E., A new two-step finite difference pair with optimal properties, JOURNAL OF MATHEMATICAL CHEMISTRY Volume: 56 Issue: 3 Pages: 770-798 Published: MAR 2018

P398 Fang, Jie; Liu, Chenglian; Simos, T. E., A hybrid finite difference pair with maximum phase and stability properties, JOURNAL OF MATHEMATICAL CHEMISTRY Volume: 56 Issue: 2 Pages: 423-448 Published: FEB 2018

P399 Yao, Junfeng; Simos, T. E., New finite difference pair with optimized phase and stability properties, JOURNAL OF MATHEMATICAL CHEMISTRY Volume: 56 Issue: 2 Pages: 449-476 Published: FEB 2018

P400 Medvedev, Maxim A.; Simos, Theodore E., New High Order P-stable Method with Optimal Phase Properties, MATCH-COMMUNICATIONS IN MATHEMATICAL AND IN COMPUTER CHEMISTRY Volume: 79 Issue: 1 Pages: 175-214 Published: 2018

P401 Medvedev, Maxim A.; Simos, Theodore E., A New High Order Method with Optimal Stability and Phase Properties, MATCH-COMMUNICATIONS IN MATHEMATICAL AND IN COMPUTER CHEMISTRY Volume: 79 Issue: 1 Pages: 215-260 Published: 2018

P402 Medvedev, Maxim A.; Simos, T. E., A multistep method with optimal properties for second order differential equations, JOURNAL OF MATHEMATICAL CHEMISTRY Volume: 56 Issue: 1 Pages: 1-29 Published: JAN 2018

P403 Kovalnogov, Vladislav N.; Fedorov, Ruslan V.; Golovanov, Viktor M.; et al., A four stages numerical pair with optimal phase and stability properties, JOURNAL OF MATHEMATICAL CHEMISTRY Volume: 56 Issue: 1 Pages: 81-102 Published: JAN 2018

P404 Yan, Ke; Simos, T. E., A finite difference pair with improved phase and stability properties, JOURNAL OF MATHEMATICAL CHEMISTRY Volume: 56 Issue: 1 Pages: 170-192 Published: JAN 2018

P405 Medvedeva, Marina A.; Simos, Theodore E., A New High Order Finite Difference Pair with Improved Properties MATCH-COMMUNICATIONS IN MATHEMATICAL AND IN COMPUTER CHEMISTRY Volume: 80 Issue: 2 Pages: 481-536 Published: 2018

P406 Simos, T. E.; Tsitouras, Ch, HIGH PHASE-LAG ORDER, FOUR-STEP METHODS FOR SOLVING $y'' = f(x, y)$, APPLIED AND COMPUTATIONAL MATHEMATICS Volume: 17 Issue: 3 Pages: 307-316 Published: 2018

P407 Berg, Dmitry B.; Simos, T. E.; Tsitouras, Ch., Trigonometric fitted, eighth-order explicit Numerov-type methods, MATHEMATICAL METHODS IN THE APPLIED SCIENCES Volume: 41 Issue: 5 Pages: 1845-1854 Published: MAR 30 2018

P408 Tsitouras, Ch.; Simos, T. E., On Ninth Order, Explicit Numerov-Type Methods with Constant Coefficients, MEDITERRANEAN JOURNAL OF MATHEMATICS Volume: 15 Issue: 2 Article Number: 46 Published: APR 2018

P409 Yao, Junfeng; Simos, T. E., New five-stages two-step method with improved characteristics, JOURNAL OF MATHEMATICAL CHEMISTRY Volume: 56 Issue: 6 Pages: 1567-1594 Published: JUN 2018

P410 Tsitouras, Ch.; Simos, T. E., Trigonometric-Fitted Explicit Numerov-Type Method with Vanishing Phase-Lag and Its First and Second Derivatives, MEDITERRANEAN JOURNAL OF MATHEMATICS Volume: 15 Issue: 4 Article Number: 168

P411 Simos, T. E.; Tsitouras, Ch., Fitted modifications of classical Runge-Kutta pairs of orders 5(4), MATHEMATICAL METHODS IN THE APPLIED SCIENCES Volume: 41 Issue: 12 Pages: 4549-4559 Published: AUG 2018

P412 Yan, Ke; Simos, T. E., New Runge-Kutta type symmetric two-step method with optimized characteristics, JOURNAL OF MATHEMATICAL CHEMISTRY Volume: 56 Issue: 8 Pages: 2454-2484 Published: SEP 2018

P413 Kovalnogov, V. N.; Fedorov, R., V; Bondarenko, A. A.; Simos, T. E., New hybrid two-step method with optimized phase and stability characteristics, JOURNAL OF MATHEMATICAL CHEMISTRY Volume: 56 Issue: 8 Pages: 2302-2340 Published: SEP 2018

P414 Alolyan, Ibraheem; Simos, T. E., New three-stages symmetric six-step finite difference method with vanished phase-lag and its derivatives up to sixth derivative for second order initial and/or boundary value problems with periodical and/or oscillating solutions, JOURNAL OF MATHEMATICAL CHEMISTRY Volume: 56 Issue: 8 Pages: 2267-2301 Published: SEP 2018

P415 Kovalnogov, V. N.; Fedorov, R. V.; Simos, T. E., New hybrid symmetric two step scheme with optimized characteristics for second order

problems, JOURNAL OF MATHEMATICAL CHEMISTRY Volume: 56 Issue: 9
Pages: 2816-2844 Published: OCT 2018

P416 Stasinou, P. I.; Simos, Theodore E., New 8-step symmetric embedded predictor-corrector (EPCM) method with vanished phase-lag and its first derivative for the numerical integration of the Schrodinger equation, JOURNAL OF MATHEMATICAL CHEMISTRY Volume: 56 Issue: 9 Pages: 2741-2767 Published: OCT 2018

P417 Chen, Zhong; Liu, Chenglian; Simos, T. E., New three-stages symmetric two step method with improved properties for second order initial/boundary value problems, JOURNAL OF MATHEMATICAL CHEMISTRY Volume: 56 Issue: 9 Pages: 2591-2616 Published: OCT 2018

P418 Hao, Ruru; Simos, T. E., New Runge-Kutta type symmetric two step finite difference pair with improved properties for second order initial and/or boundary value problems, JOURNAL OF MATHEMATICAL CHEMISTRY Volume: 56 Issue: 10 Pages: 3014-3044 Published: NOV 2018

P419 Alolyan, Ibraheem; Simos, T. E., New four-stages symmetric six-step method with improved phase properties for second order problems with periodical and/or oscillating solutions, JOURNAL OF MATHEMATICAL CHEMISTRY Volume: 56 Issue: 10 Pages: 2898-2928 Published: NOV 2018

P420 Monovasilis, Th.; Kalogiratou, Z.; Simos, T. E., Trigonometrical fitting conditions for two derivative Runge-Kutta methods, NUMERICAL ALGORITHMS Volume: 79 Issue: 3 Pages: 787-800 Published: NOV 2018

P421 Medvedev, Maxim A.; Simos, T. E.; Tsitouras, Ch., Explicit, two-stage, sixth-order, hybrid four-step methods for solving $y''(x)=f(x,y)$, MATHEMATICAL METHODS IN THE APPLIED SCIENCES Volume: 41 Issue: 16 Pages: 6997-7006 Published: NOV 15 2018

P422 Medvedev, Maxim A.; Simos, T. E.; Tsitouras, Ch., Fitted modifications of Runge-Kutta pairs of orders 6(5), MATHEMATICAL METHODS IN THE APPLIED SCIENCES Volume: 41 Issue: 16 Pages: 6184-6194 Published: NOV 15 2018

P423 Kovalnogov, V. N.; Fedorov, R. V. Suranov; D. V.; Simos, T. E., New multiple stages scheme with improved properties for second order problems,

JOURNAL OF MATHEMATICAL CHEMISTRY Volume: 57 Issue: 1 Pages: 232-262 Published: JAN 2019

P424 Qiu, Guo-Hua; Liu, Chenglian; Simos, T. E., A new multistep method with optimized characteristics for initial and/or boundary value problems, JOURNAL OF MATHEMATICAL CHEMISTRY Volume: 57 Issue: 1 Pages: 119-148 Published: JAN 2019

P425 Medvedev, Maxim A.; Simos, T. E.; Tsitouras, Ch., Trigonometric-fitted hybrid four-step methods of sixth order for solving $y''(x)=f(x,y)$, MATHEMATICAL METHODS IN THE APPLIED SCIENCES Volume: 42 Issue: 2 Pages: 710-716 Published: JAN 30 2019

P426 Wang, Guiping; Simos, T. E., New multiple stages two-step complete in phase algorithm with improved characteristics for second order initial/boundary value problems, JOURNAL OF MATHEMATICAL CHEMISTRY Volume: 57 Issue: 2 Pages: 494-515 Published: FEB 2019

P427 Yang, Nan; Simos, T. E., New four stages multistep in phase algorithm with best possible properties for second order problems, JOURNAL OF MATHEMATICAL CHEMISTRY Volume: 57 Issue: 3 Pages: 895-917 Published: MAR 2019

P428 Alolyan, Ibraheem; Simos, T. E., New multiple stages multistep method with best possible phase properties for second order initial/boundary value problems, JOURNAL OF MATHEMATICAL CHEMISTRY Volume: 57 Issue: 3 Pages: 834-857 Published: MAR 2019

P429 Hsu, Chieh-Wen; Lin, Chialiang); Liu, Chenglian); Simos, T. E., A new four-stages two-step phase fitted scheme for problems in quantum chemistry, JOURNAL OF MATHEMATICAL CHEMISTRY Volume: 57 Issue: 4 Pages: 1201-1229 Published: APR 2019

P430 Chen, Zhong; Liu, Chenglian; Hsu, Chieh-Wen; Simos, T. E., A new multistage multistep full in phase algorithm with optimized characteristics for problems in chemistry, JOURNAL OF MATHEMATICAL CHEMISTRY Volume: 57 Issue: 4 Pages: 1112-1139 Published: APR 2019

P431 Hui, Fei; Simos, T. E., New multistage two-step complete in phase scheme with improved properties for quantum chemistry problems, JOURNAL

OF MATHEMATICAL CHEMISTRY Volume: 57 Issue: 4 Pages: 1088-1111
Published: APR 2019

P432 Medvedev, Maxim A.; Simos, T. E.; Tsitouras, Ch., Hybrid, phase-fitted, four-step methods of seventh order for solving $x''(t) = f(t,x)$, MATHEMATICAL METHODS IN THE APPLIED SCIENCES Volume: 42 Issue: 6 Pages: 2025-2032 Published: APR 2019

P433 Kalogiratou, Zacharoula; Monovasilis, Theodore; Simos, Theodore E., New fifth-order two-derivative Runge-Kutta methods with constant and frequency-dependent coefficients, MATHEMATICAL METHODS IN THE APPLIED SCIENCES Volume: 42 Issue: 6 Pages: 1955-1966 Published: APR 2019

P434 Lin, Chialiang; Chen, Jwu Jenq; Simos, T. E.; Tsitouras, Ch., Evolutionary Derivation of Sixth-Order P-stable SDIRKN Methods for the Solution of PDEs with the Method of Lines, MEDITERRANEAN JOURNAL OF MATHEMATICS Volume: 16 Issue: 3 Article Number: 69 Published: JUN 2019

P435 Fang, Jie; Liu, Chenglian; Hsu, Chieh-Wen; Simos, Theodore E.; Tsitouras, Charalampos, Explicit hybrid six-step, sixth order, fully symmetric methods for solving $y'' = f(x,y)$, MATHEMATICAL METHODS IN THE APPLIED SCIENCES Volume: 42 Issue: 9 Pages: 3305-3314 Published: JUN 2019

D. CONFERENCES

C1. T.E. Simos: A high order P - stable method with phase-lag of order 10 for the numerical integration of special second order periodic initial-value problems, presented in First International Colloquium on Numerical Analysis, Plovdiv, Bulgaria. Published in "Selected Invited Lectures and Short Communications Delivered in First International Colloquium on Numerical Analysis and the Third International Colloquium on Differential Equations" (pp. 212-220).

C2. T. E. Simos, A.D. Raptis and A.B. Mylonas: Phase-lag analysis of Runge-Kutta methods for oscillating solutions, Proceedings of HERMIS '92, pp. 479-486.

C3. T.E. Simos and G.V. Mitsou: Runge - Kutta - Nystrom methods for the numerical integration of special second order initial-value problems with oscillating solutions, presented in International Conference on Scientific Computation and Differential Equations (SCADE '93), Auckland, NEW ZEALAND.

C4. T.E. Simos and G.V. Mitsou: High order P - stable methods with minimal phase-lag for the numerical solution of two-point boundary-value problems with oscillating solutions, presented in International Conference on Scientific Computation and Differential Equations (SCADE '93), Auckland, NEW ZEALAND.

C5. T.E. Simos and G.V. Mitsou: A family of four-step exponential fitted predictor-corrector methods for the numerical integration of the Schrödinger equation, presented in Second International Colloquium on Numerical Analysis, Plovdiv, Bulgaria. Published in Proceedings of the Second International Colloquium on Numerical Analysis (Eds: D. Bainov and V. Covachev), VSP, The Netherlands (1994).

C6. T.E. Simos and G.V. Mitsou: Predictor-corrector phase fitted methods for $y''=f(x,y)$, presented in Second International Colloquium on Numerical Analysis, Plovdiv, Bulgaria. Published in Proceedings of the Second International Colloquium on Numerical Analysis (Eds: D. Bainov, V. Covachev and A. Dishliev), IMPUS-M, Bulgaria (1994).

C7. G. Avdelas and T.E. Simos: A finite difference scheme for computing eigenvalues of the specific Schrödinger equations, Proceedings of the Third International Colloquium on Numerical Analysis, August 13-17, 1994, Plovdiv, Bulgaria, SCT Publishing, 13-27(1995).

C8. G. Avdelas and T.E. Simos: Exponentially-fitted methods for the numerical solution of the Schrödinger equation, Proceedings of the Sixth International Colloquium on Differential Equations, August 13-17, 1995, Plovdiv, Bulgaria, Impulse-M, 23-32(1996).

C9. G. Papakaliatakis and T.E. Simos, Integration of some constitutive relations of plain strain elastoplasticity using modified Runge-Kutta methods, Lecture Notes in Computer Science, Springer-Verlag, First Workshop on Numerical Analysis and Applications, June 24-27, 1996, Rouse, Bulgaria, 365-372.

C10. P.S. Williams and T.E. Simos, Two-step P-stable methods with phase-lag of order infinity for the numerical solution of special second order initial value problems, Lecture Notes in Computer Science, Springer-Verlag, First Workshop on Numerical Analysis and Applications, June 24-27, 1996, Rouse, Bulgaria, pp. 565-572.

C11. T.E. Simos and P.S. Williams, Bessel and Neumann fitted methods for the numerical solution of the Schrödinger equation, Lecture Notes in Computer Science, Springer-Verlag, First Workshop on Numerical Analysis and Applications, June 24-27, 1996, Rouse, Bulgaria, 442-449.

C12. G. Papakaliatakis and T.E. Simos, A new finite difference method for the numerical solution of differential equations with engineering applications, Proceedings of the V-th International Colloquium on Numerical Analysis, August 13-17, 1996, Plovdiv, Bulgaria, Editor: E. Minchev, Academic Publications, 123-132, 1997.

C13. G. Papakaliatakis and T.E. Simos, Integration of some constitutive relations of plain strain elastoplasticity using block-embedded modified Runge-Kutta Methods, Proceedings of the Eighth International Colloquium on Differential Equations, August 18-23, 1997, Plovdiv, Bulgaria, VSP Publications (Editor: D.Bainov), pp. 355-362(1998).

C14. T.E. Simos and G. Papakaliatakis, An exponentially-fitted finite difference method for the numerical solution of differential equations with engineering applications, Proceedings of the Ninth International Colloquium on Differential Equations, August 18-23, 1998, Plovdiv, Bulgaria, VSP Publications (Editor: D.Bainov), pp. 401-406(1999).

C15. G. Avdelas and T.E. Simos, A generator of P-stable hybrid methods, International Conference PDPTA 99, Las Vegas, USA, June 28 – July 1, 1999 (Editor: H.R. Arabnia), CSREA Press, pp. 265-271(1999).

C16. A. Konguetsof, G. Avdelas and T.E. Simos, A generalization of Numerov's method for the numerical solution of the Schrödinger equation in two dimensions, International Conference PDPTA 99, Las Vegas, USA, June 28 – July 1, 1999 (Editor: H.R. Arabnia), CSREA Press, pp. 259-264(1999).

C17. Z.A. Anastassi and T.E. Simos, A family of optimal Runge-Kutta methods with five stages and fourth order for IVPs with oscillating solutions, Proceedings of the International Conference of Computational Methods in

Sciences and Engineering 2003 (ICCMSE 2003), , Kastoria, 12-16 September, 2003, World Scientific Publishing Co (Editor: T.E. Simos), pp. 22-23 (2003).

C18. Th. Monovasilis, Z. Kalogiratou and T.E. Simos, Exponential fitting symplectic methods for the numerical integration of the Schrödinger equation, Proceedings of the International Conference of Computational Methods in Sciences and Engineering 2003 (ICCMSE 2003), , Kastoria, 12-16 September, 2003, World Scientific Publishing Co (Editor: T.E. Simos), pp. 446-450 (2003).

C19. D. Sakas and T.E. Simos, Symmetric multistep methods with minimal phase-lag for the approximate solution of orbital problems, Proceedings of the International Conference of Computational Methods in Sciences and Engineering 2003 (ICCMSE 2003), , Kastoria, 12-16 September, 2003, World Scientific Publishing Co (Editor: T.E. Simos), pp. 555-556 (2003).

C20. K. Tselios and T.E. Simos, Runge-Kutta methods with minimal dispersion and dissipation for problems arising from computational acoustics, Proceedings of the International Conference of Computational Methods in Sciences and Engineering 2003 (ICCMSE 2003), , Kastoria, 12-16 September, 2003, World Scientific Publishing Co (Editor: T.E. Simos), pp. 647-649 (2003).

C21. Z. A. Anastassi and T. E. Simos, Trigonometrically-Fitted Runge-Kutta Methods for the Numerical Solution of the Schrödinger Equation, Proceedings of the International Conference of Numerical Analysis and Applied Mathematics (ICNAAM 2004), Chalkis, 10-14 September, 2004, Wiley-VCH (Editors: T.E. Simos and Ch. Tsitouras), pp. 21-23 (2004).

C22. P. D. Manousopoulos, D. S. Vlachos and T. E. Simos, Electromagnetic field computation in large biological bodies, Proceedings of the International Conference of Numerical Analysis and Applied Mathematics (ICNAAM 2004), Chalkis, 10-14 September, 2004, Wiley-VCH (Editors: T.E. Simos and Ch. Tsitouras), pp. 254-256 (2004).

C23. Th. Monovasilis, Z. Kalogiratou and T. E. Simos, Exponential-fitting Symplectic Methods for the Numerical Solution of the Schrödinger Equation, Proceedings of the International Conference of Numerical Analysis and Applied Mathematics (ICNAAM 2004), Chalkis, 10-14 September, 2004, Wiley-VCH (Editors: T.E. Simos and Ch. Tsitouras), pp. 273-275 (2004).

C24. D. P. Sakas and T. E. Simos, A Family of Seventh Algebraic Order Trigonometrically Fitted P-C Schemes for the Numerical Solution of the One-Dimensional Schrödinger Equation, Proceedings of the International Conference of Numerical Analysis and Applied Mathematics (ICNAAM 2004), Chalkis, 10-14 September, 2004, Wiley-VCH (Editors: T.E. Simos and Ch. Tsitouras), pp. 331-332 (2004).

C25. D. S. Vlachos and T. E. Simos, Partitioned linear multistep method for long term integration of the N-body problem, Proceedings of the International Conference of Numerical Analysis and Applied Mathematics (ICNAAM 2004), Chalkis, 10-14 September, 2004, Wiley-VCH (Editors: T.E. Simos and Ch. Tsitouras), pp. 448-451 (2004).

C26. D. S. Vlachos and T. E. Simos, Inverse parameter estimation of interdental dielectrometry sensors, Proceedings of the International Conference of Numerical Analysis and Applied Mathematics (ICNAAM 2004), Chalkis, 10-14 September, 2004, Wiley-VCH (Editors: T.E. Simos and Ch. Tsitouras), pp. 458-460(2004).

C27. G. Psihoyios and T.E. Simos, Trigonometrically-fitted Adams–Bashforth–Moulton methods for periodic initial value problems. In: K.J. Bathe, Editor, *Computational Fluid and Solid Mechanics 2003*, Massachusetts Institute of Technology, USA (2003) ISBN 0080440487, pp. 2097–2100.

C28.T.E. Simos, G. Psihoyios, Ch. Tsitouras (Editors): Preface, “International Conference on Numerical Analysis and Applied Mathematics 2005 (ICNAAM-2005)” (peer reviewed proceedings), Wiley –VCH (ISBN 3527406522), 962 pages, 2005.

C29.T.E. Simos, G. Psihoyios, Ch. Tsitouras (Editors): “International Conference on Numerical Analysis and Applied Mathematics 2006 (ICNAAM-2006)” (peer reviewed proceedings), Wiley – VCH (ISBN 352740743x), 698 pages, 2006.

C30. T.E. Simos, G. Psihoyios (Editors): “International e-Conference on Computer Science 2006 (leCCS-2006) + Additional Papers from ICNAAM-2006 and ICCMSE-2006” (peer reviewed proceedings), in Lecture Series on Computer and Computational Sciences, VSP/Brill Academic Publishers (ISBN 9004155929), vol. 8 (588 pages), 2007.

C31. T.E. Simos, G. Psihoyios, Ch. Tsitouras (Editors): “Numerical Analysis and Applied Mathematics” CP936 (peer reviewed Proceedings of the International Conference ICNAAM-2007), American Institute of Physics - AIP (ISBN 9780735404472), vol. CP936 (788 pages), 2007.

C32. Kalogiratou Z., Monovasilis Th. and Simos T.E., Asymptotically Symplectic Integrators of 3rd and 4th order for the numerical solution of the for the numerical solution of the Schrödinger equation, *Proceedings of the second MIT conference on Computational Fluid and Solid Mechanics, 2002*, Elsevier Science, Vol 2, pp. 2012-2015.

C33. Z. Kalogiratou, Th. Monovasilis and T.E. Simos, Numerical Solution of the Two-Dimensional Time-Independent Schrödinger equation by Symplectic and Asymptotically Symplectic Schemes in the book *NACoM-2003 Extended Abstracts* (peer reviewed Proceedings of the International Conference NACoM-2003, May 2003, Cambridge, UK), Editor: G. Psihoyios, Wiley-VCH (ISBN 3527404627), pp. 121-124, 2004

C34. Kalogiratou Z., Monovasilis Th. and Simos T.E. Numerical Solution of the two-dimensional time-independent Schrödinger Equation with exponential-fitting methods, *Proceedings of the International Conference of Computational Methods in Sciences and Engineering (ICCMSE 2003)*, pp. 262 – 267, World Scientific.

C35. Th. Monovasilis, Z. Kalogiratou, and T.E. Simos, Numerical Solution of the Two-Dimensional Time-Independent Schrödinger equation in the book *NACoM-2003 Extended Abstracts* (peer reviewed Proceedings of the International Conference NACoM-2003, May 2003, Cambridge, UK), Editor: G. Psihoyios, Wiley-VCH (ISBN 3527404627), pp. 99-102, 2004

C36. Z. Kalogiratou, Th. Monovasilis and T.E. Simos, Construction of asymptotically symplectic methods for the numerical solution of the Schrödinger equation, *Proceedings of the International Conference of Computational Methods in Sciences and Engineering (ICCMSE 2004)*, pp.248-252, VSP.

C37. Th. Monovasilis, Z. Kalogiratou and T.E. Simos, Fourth order trigonometrically-fitted and exponentially-fitted symplectic methods for the

numerical integration of the Schrödinger equation, *ICCMSE 2004 Extended Abstracts*, VSP, pp 391-395.

C38. Z. Kalogiratou, Th. Monovasilis and T.E. Simos, Symplectic and Exponentially-fitted Symplectic Methods of Second and Third order, *Proceedings of International Conference on Numerical Analysis and Applied Mathematics (ICNAAM 2005 Extended Abstracts)* pp. 295-297 ,WILEY-VCH.

C39 Th. Monovasilis, Z. Kalogiratou and T.E. Simos, Symplectic and Exponentially-fitted Symplectic Methods for the Numerical Integration of Orbital Problems, *Proceedings of International Conference on Numerical Analysis and Applied Mathematics (ICNAAM 2005)* pp. 378-381,WILEY-VCH.

C40. Z. Kalogiratou, Th. Monovasilis and T.E. Simos, Numerical solution of the two-dimensional time independent Schrödinger Equation by symplectic schemes based on Magnus Expansion, *Advances in Computational Methods in Sciences and Engineering 2005 (ICCMSE 2005)*, pp. 270-274, VSP.

C41. Th. Monovasilis, Z. Kalogiratou and T.E. Simos, Application of Symplectic Partitioned Runge-Kutta Methods to Hamiltonian Problems, *Advances in Computational Methods in Sciences and Engineering 2005 (ICCMSE 2005)*, pp. 417- 420, VSP.

C42. Th. Monovasilis, Z. Kalogiratou and T.E. Simos, Computation of the eigenvalues of the Schrödinger Equation by Exponentially-Fitted Runge-Kutta-Nyström Methods, *Proceedings of International Conference on Numerical Analysis and Applied Mathematics (ICNAAM 2007)*. pp.372-377, American Institute of Physics, Corfu-Greece 16-20/09/2007.

C43. Z. Kalogiratou, Th. Monovasilis and T.E. Simos, A Fifth-order Symplectic Trigonometrically Fitted Partitioned Runge-Kutta Method, *Proceedings of International Conference on Numerical Analysis and Applied Mathematics (ICNAAM 2007)*. pp. 313-317, American Institute of Physics Corfu-Greece 16-20/09/2007.

C44. Z. Kalogiratou, Th. Monovasilis and T.E. Simos, An Exponentially fitted 6(4) pair of explicit Runge-Kutta-Nyström Methods, *Proceedings of the International Conference of Computational Methods in Sciences and Engineering (ICCMSE 2007)* pp. 963 (2007) 1253-1256.

C45. Th. Monovasilis, Z. Kalogiratou and T.E. Simos, A Family of Trigonometrically-Fitted Partitioned Runge-Kutta Symplectic Methods,

Proceedings of the International Conference of Computational Methods in Sciences and Engineering (ICCMSE 2007) pp. 963 (2007) 1306-1310.

C46. Z. Kalogiratou, T. Monovasilis and T.E. Simos, Conditions for Trigonometrically Fitted Runge-Kutta Methods, International Conference on Numerical Analysis and Applied Mathematics, SEP 18-22, 2009 Rethymno, GREECE, NUMERICAL ANALYSIS AND APPLIED MATHEMATICS, VOLS 1 AND 2 Book Series: AIP Conference Proceedings Volume: 1168 Pages: 1600-1603(2009)

C47. T. Monovasilis, Z. Kalogiratou and T.E. Simos, A Phase-fitted Symplectic Partitioned Runge-Kutta Methods for the Numerical Solution of the Schrodinger Equation, International Conference on Numerical Analysis and Applied Mathematics, SEP 18-22, 2009 Rethymno, GREECE, NUMERICAL ANALYSIS AND APPLIED MATHEMATICS, VOLS 1 AND 2 Book Series: AIP Conference Proceedings Volume: 1168 Pages: 1595-1599(2009)

C48. D.S. Vlachos and T.E. Simos, Symbolic Derivation of Order Conditions for Runge-Kutta-Nystrom Methods, *Proceedings of International Conference on Numerical Analysis and Applied Mathematics (ICNAAM 2007)*. pp. 578-581, American Institute of Physics Corfu-Greece 16-20/09/2007.

C49. Z.A. Anastassi, D.S. Vlachos and T.E. Simos, *The Use of Phase-Lag Derivatives in the Numerical Integration of ODEs with Oscillating Solutions*, Proceedings of the International Conference of Numerical Analysis and Applied Mathematics (ICNAAM) 2008, AIP Conference Proceedings, 1048, 1020-1025 (2008)

C50. D.S. Vlachos, K.J. Parousis-Orthodoxou, and T.E. Simos, A Reaction-Diffusion Technique for Community Structure Identification in Complex Networks, Proceedings of the International Conference of Numerical Analysis and Applied Mathematics (ICNAAM) 2008, AIP Conference Proceedings, 1048, 1026-1029 (2008)

C51. D.S. Vlachos, K.J. Parousis-Orthodoxou, and T.E. Simos, Winner-Takes-All Strategies for Complex Network Evolution, Proceedings of the International Conference of Numerical Analysis and Applied Mathematics (ICNAAM) 2008, AIP Conference Proceedings, 1048, 1030-1033 (2008)

C52. O.T. Kosmas, D.S. Vlachos, and T.E. Simos, A New Multistep Integrator Based on Discrete Langrangian Formulation, Proceedings of the

International Conference of Numerical Analysis and Applied Mathematics (ICNAAM) 2008, AIP Conference Proceedings, 1048, 1037-1039 (2008)

C53. Z. Kalogiratou, Th. Monovasilis and T.E.Simos, Exponentially-Fitted Runge-Kutta-Nyström Methods for the Solution of the Schrödinger Equation, , Proceedings of the International Conference of Numerical Analysis and Applied Mathematics (ICNAAM) 2008, AIP Conference Proceedings, 1048, 1040-1044 (2008)

C54. D.F. Papadopoulos, Z.A. Anastassi ZA and T.E. Simos, The Use of Phase-Lag and Amplification Error Derivatives in the Numerical Integration of ODES with Oscillating Solutions, Conference Information: International Conference on Numerical Analysis and Applied Mathematics, SEP 18-22, 2009 Rethymno, GREECE, NUMERICAL ANALYSIS AND APPLIED MATHEMATICS, VOLS 1 AND 2 Book Series: AIP Conference Proceedings Volume: 1168 Pages: 547-549(2009)

C55. D.F. Papadopoulos, Z.A. Anastassi ZA and T.E. Simos, A Zero Dispersion RKN Method for the Numerical Integration of Initial Value Problems with Oscillating Solutions, Conference Information: International Conference on Numerical Analysis and Applied Mathematics, SEP 18-22, 2009 Rethymno, GREECE, NUMERICAL ANALYSIS AND APPLIED MATHEMATICS, VOLS 1 AND 2 Book Series: AIP Conference Proceedings Volume: 1168 Pages: 550-553(2009)

C56. D.F. Papadopoulos, Z.A. Anastassi ZA and T.E. Simos, A Modified Zero Dispersion and Zero Dissipation RKN Method for the Numerical Solution of the Radial Schrodinger Equation, International Conference on Numerical Analysis and Applied Mathematics, SEP 18-22, 2009 Rethymno, GREECE, NUMERICAL ANALYSIS AND APPLIED MATHEMATICS, VOLS 1 AND 2 Book Series: AIP Conference Proceedings Volume: 1168 Pages: 1604-1607(2009)

C57. Z.A. Anastassi and T.E. Simos, Linear Multistep Methods for the Efficient Integration of the Schrodinger Equation, International Conference on Numerical Analysis and Applied Mathematics, SEP 18-22, 2009 Rethymno, GREECE, NUMERICAL ANALYSIS AND APPLIED MATHEMATICS, VOLS 1 AND 2 Book Series: AIP Conference Proceedings Volume: 1168 Pages: 1608-1611(2009)

C58. Th. Monovasilis, Z. Kalogiratou and T.E.Simos, Symplectic Partitioned Runge-Kutta Methods with Minimum Phase Lag - Case of 5 Stages,

International Conference on Numerical Analysis and Applied Mathematics, SEP 19-25, 2010 Rhodes, GREECE, NUMERICAL ANALYSIS AND APPLIED MATHEMATICS, VOL I Book Series: AIP Conference Proceedings Volume: 1281 Pages: 698-702(2010)

C59. Z. Kalogiratou, Th. Monovasilis and T.E.Simos, Symplectic Runge-Kutta-Nyström Methods with Phase-Lag Order Six and Infinity, International Conference on Numerical Analysis and Applied Mathematics, SEP 19-25, 2010 Rhodes, GREECE, NUMERICAL ANALYSIS AND APPLIED MATHEMATICS, VOL I Book Series: AIP Conference Proceedings Volume: 1281 Pages: 694-697(2010)

C60. N. G. Tselios, Z. A. Anastassi and T. E. Simos, Optimized Three-Stage Implicit Runge-Kutta Methods for the Numerical Solution of Problems with Oscillatory Solutions, International Conference on Numerical Analysis and Applied Mathematics, SEP 19-25, 2010 Rhodes, GREECE, NUMERICAL ANALYSIS AND APPLIED MATHEMATICS, VOL III Book Series: AIP Conference Proceedings Volume: 1281 Pages: 2252-2255(2010)

C61. N. G. Tselios, Z. A. Anastassi and T. E. Simos, Optimized Two-Stage Implicit Runge-Kutta Methods for the Numerical Solution of Problems with Oscillatory Solutions, International Conference on Numerical Analysis and Applied Mathematics, SEP 19-25, 2010 Rhodes, GREECE, NUMERICAL ANALYSIS AND APPLIED MATHEMATICS, VOL III Book Series: AIP Conference Proceedings Volume: 1281 Pages: 2248-2251(2010)

C62. Z. A. Anastassi and T. E. Simos, A Family of Symmetric Linear Multistep Methods for the Numerical Solution of the Schrödinger Equation and Related Problems, International Conference on Numerical Analysis and Applied Mathematics, SEP 19-25, 2010 Rhodes, GREECE, NUMERICAL ANALYSIS AND APPLIED MATHEMATICS, VOL III Book Series: AIP Conference Proceedings Volume: 1281 Pages: 1843-1845(2010)

C63. D. F. Papadopoulos, Z. A. Anastassi and T. E. Simos, The Use of Phase-Lag and Amplification Error Integrators for the Numerical Solution of the Radial Schrödinger Equation, International Conference on Numerical Analysis and Applied Mathematics, SEP 19-25, 2010 Rhodes, GREECE, NUMERICAL ANALYSIS AND APPLIED MATHEMATICS, VOL III Book Series: AIP Conference Proceedings Volume: 1281 Pages: 1839-1842(2010)

C64. Z.A. Anastassi and T.E. Simos: *Trigonometrically Fitted Runge-Kutta Methods of Order Five for the Numerical Solution of the Schrödinger Equation*, Proceedings of the International Conference of Computational Methods in Sciences and Engineering (ICCMSE) 2004, 33-36, VSP Brill.

C65. Z.A. Anastassi and T.E. Simos: *A Trigonometrically Fitted Runge-Kutta Pair of Orders Four and Five for the Numerical Solution of the Schrödinger Equation*, Proceedings of the International Conference of Computational Methods in Sciences and Engineering (ICCMSE) 2004, 535-538, VSP Brill.

C66. Z.A. Anastassi and T.E. Simos: *A Dispersive-Fitted and Dissipative-Fitted Runge-Kutta Method for IVPs with Oscillating Solutions*, Proceedings of the International Conference of Numerical Analysis and Applied Mathematics (ICNAAM) 2005, 866-868, Wiley-VCH.

C67. Z.A. Anastassi and T.E. Simos: *A Trigonometrically-Fitted P-Stable Multistep Method for the Numerical Integration of the N-Body Problem*, Proceedings of the International Conference of Computational Methods in Sciences and Engineering (ICCMSE) 2006, 455-457, VSP Brill.

C68. D.S. Vlachos and T.E. Simos, *Symbolic Derivation of Order Conditions for Runge-Kutta-Nyström Methods*, International Conference of Numerical Analysis and Applied Mathematics 2007, AIP Conference Proceedings CP 936, pp. 578-581(2007)

C69. D.S. Vlachos, K.J. Parousis-Orthodoxou, and T.E. Simos, *A Reaction-Diffusion Technique for Community Structure Identification in Complex Networks*, International Conference of Numerical Analysis and Applied Mathematics 2008, AIP Conference Proceedings CP 1048, pp. 1026-1029(2008)

C70. D.S. Vlachos, K.J. Parousis-Orthodoxou, and T.E. Simos, *Winner-Takes-All Strategies for Complex Network Evolution*, International Conference of Numerical Analysis and Applied Mathematics 2008, AIP Conference Proceedings CP 1048, pp. 1030-1033(2008)

C71. O.T. Kosmas, D.S. Vlachos, and T.E. Simos, *A New Multistep Integrator Based on Discrete Lagrangian Formulation*, International

Conference of Numerical Analysis and Applied Mathematics 2008, AIP Conference Proceedings CP 1048, pp. 1037-1039(2008)

C72. O. T. Kosmas, D. S. Vlachos and T. H. Simos, Discrete Algorithms for Optimization in Ship Routing Problems, International Conference of Numerical Analysis and Applied Mathematics 2007, AIP Conference Proceedings CP 936, pp. 322-325(2007)

C73. D.S. Vlachos, O.T. Kosmas and I.E. Simos, Optimized Derivative Kernels for Gamma Ray Spectroscopy, Proceedings of the International Conference on Computational Methods in Science and Engineering 2007, AIP Conference Proceedings 2007, CP963 pp. 1396-1399(2007)

C74. O.T. Kosmas, D.S. Vlachos, and T.E. Simos, A New Multistep Integrator Based on Discrete Lagrangian Formulation, International Conference of Numerical Analysis and Applied Mathematics 2008, AIP Conference Proceedings, CP 1048, pp. 1037-1039(2008)

C75. O. T. Kosmas, D. S. Vlachos and T. E. Simos, A Discrete Lagrangian Algorithm for Optimal Routing, Problems, International Electronic Conference on Computer Science 2007 (IeCCS 2007), AIP Conference Proceedings CP 1060, pp. 75-78(2007)

C76. O. T. Kosmas, D. S. Vlachos and T. E. Sim, Obstacle Bypassing in Optimal Ship Routing Using Simulated Annealing, International Electronic Conference on Computer Science 2007 (IeCCS 2007), AIP Conference Proceedings CP 1060, pp. 79-82(2007)

C77. A.A. Kosti, Z.A. Anastassi and T.E. Simos, A Fitted Runge-Kutta-Nyström Method with Six Stages for the Integration of the Two-body Problem, International Conference on Numerical Analysis and Applied Mathematics (ICNAAM 2011) Location: Halkidiki, Greece Date: 19-25 Sept. 2011, AIP Conference Proceedings Volume: 1389 Pages: 1597-1600 DOI: 10.1063/1.3637937(2011)

C78. Z.A. Anastassi and T.E. Simos, Some Symmetric Linear Four-Step Methods for the Numerical Solution of Oscillatory Initial Value Problems, International Conference on Numerical Analysis and Applied Mathematics (ICNAAM 2011) Location: Halkidiki, Greece Date: 19-25 Sept. 2011, AIP Conference Proceedings Volume: 1389 Pages: 1601-1604 DOI: 10.1063/1.3637938 (2011)

C79. Z. Kalogiratos, T. Monovasilis and T.E. Simos, A diagonally implicit symplectic Runge-Kutta method with minimum phase-lag, International Conference on Numerical Analysis and Applied Mathematics (ICNAAM 2011) Location: Halkidiki, Greece Date: 19-25 Sept. 2011, AIP Conference Proceedings Volume: 1389 Pages: 1977-1979 DOI: 10.1063/1.3637001 (2011)

C80. T. Monovasilis, Z. Kalogiratos and T.E. Simos, A Trigonometrically Fitted Symplectic Runge-Kutta-Nyström Method, International Conference on Numerical Analysis and Applied Mathematics (ICNAAM 2011) Location: Halkidiki, Greece Date: 19-25 Sept. 2011, AIP Conference Proceedings Volume: 1389 Pages: 1980-1983 DOI: 10.1063/1.3637002 (2011)

C81. D.F. Papadopoulos and T.E. Simos, A Modified RKN with Infinity Order of Phase-lag Derivative for the Numerical Integration of ODEs with Oscillating Solutions, International Conference on Numerical Analysis and Applied Mathematics (ICNAAM 2011) Location: Halkidiki, Greece Date: 19-25 Sept. 2011, AIP Conference Proceedings Volume: 1389 Pages: 2033-2036 DOI: 10.1063/1.3637015 Published: 01 2011 (2011)

C82. D.F. Papadopoulos and T.E. Simos, A New Modified RKN Method by Using the Phase-lag Properties, International Conference on Numerical Analysis and Applied Mathematics (ICNAAM 2011) Location: Halkidiki, Greece Date: 19-25 Sept. 2011, AIP Conference Proceedings Volume: 1389 Pages: 2037-2040 DOI: 10.1063/1.3637016 (2011)

C83. George Maroulis and Theodore Simos, Preface: Lectures Presented at the International Conference on Computational Methods in Science and Engineering (Rhodes, Greece, 29 September - 4 October, 2009), Citation: AIP Conf. Proc. 1504, pp. 1-2 (2012); doi: 10.1063/1.4772098

C84. A.A. Kosti, Z.A. Anastassi, T.E. Simos, Construction of an explicit Runge-Kutta-Nystrom method with constant coefficients and of a phase-fitted and amplification-fitted explicit Runge-Kutta-Nystrom method for the numerical solution of the Schrodinger equation, Conference: International Conference of Computational Methods in Sciences and Engineering 2009: (iccmse 2009) Location: Rhodes, Greece Date: 29 Sept.-4 Oct. 2009, Source: AIP Conference Proceedings Volume: 1504 Pages: 1185-7 DOI: 10.1063/1.4772139 Published: 2012

C85. A.A. Kosti, Z.A. Anastassi, T.E. Simos, Construction of an optimized explicit Runge-Kutta method with increased phase-lag order for the numerical solution of the Schroumldinger equation, Conference: International Conference of Computational Methods in Sciences and Engineering 2009: (iccmse 2009) Location: Rhodes, Greece Date: 29 Sept.-4 Oct. 2009, Source: AIP Conference Proceedings Volume: 1504 Pages: 1182-4 DOI: 10.1063/1.4772138 Published: 2012

C86. G.A. Panopoulos, Z.A. Anastassi and T.E. Simos, Optimized explicit symmetric linear multistep methods for the numerical solution of the Schrodinger equation and related orbital problems, Conference: International Conference of Computational Methods in Sciences and Engineering 2009: (iccmse 2009) Location: Rhodes, Greece Date: 29 Sept.-4 Oct. 2009, Source: AIP Conference Proceedings Volume: 1504 Pages: 1344-7 DOI: 10.1063/1.4772179 Published: 2012,

C87. Theodore E. Simos, George Psihoyios, Ch. Tsitouras, and Zacharias Anastassi, Preface: Proceedings of the International Conference on Numerical Analysis and Applied Mathematics 2012 (ICNAAM-2012), AIP Conf. Proc. 1479, pp. 1-2; doi: 10.1063/1.4756047

C88. Z. Kalogiratou, Th. Monovasilis and T.E. Simos, Diagonally Implicit Symplectic Runge-Kutta Methods with Special Properties, Book Editor(s): Simos, TE; Psihoyios, G; Tsitouras, C; et al. Conference: International Conference of Numerical Analysis and Applied Mathematics (ICNAAM) Location: Kos, GREECE Date: SEP 19-25, 2012, Sponsor(s): European Soc Computat Methods Sci, Engn & Technol (ESCMSET); R M Santilli Fdn, Source: NUMERICAL ANALYSIS AND APPLIED MATHEMATICS (ICNAAM 2012), VOLS A AND B Book Series: AIP Conference Proceedings Volume: 1479 Pages: 1387-1390 DOI: 10.1063/1.4756416 Published: 2012

C89. Th. Monovasilis, Z. Kalogiratou and T.E. Simos, Exponentially Fitted Symplectic Runge-Kutta-Nystrom Methods, Book Editor(s): Simos, TE; Psihoyios, G; Tsitouras, C; et al. Conference: International Conference of Numerical Analysis and Applied Mathematics (ICNAAM) Location: Kos, GREECE Date: SEP 19-25, 2012, Sponsor(s): European Soc Computat Methods Sci, Engn & Technol (ESCMSET); R M Santilli Fdn, Source: NUMERICAL ANALYSIS AND APPLIED MATHEMATICS (ICNAAM 2012), VOLS A AND B Book Series: AIP Conference Proceedings Volume: 1479 Pages: 1395-1398 DOI: 10.1063/1.4756418 Published: 2012

C90. D.F. Papadopoulos and T.E. Simos, A Runge-Kutta Method with Zero Phase-Lag and Derivatives for the Numerical Solution of Orbital Problems, Book Editor(s): Simos, TE; Psihoyios, G; Tsitouras, C; et al., Conference: International Conference of Numerical Analysis and Applied Mathematics (ICNAAM) Location: Kos, GREECE Date: SEP 19-25, 2012, Sponsor(s): European Soc Computat Methods Sci, Engn & Technol (ESCMSET); R M Santilli Fdn, Source: NUMERICAL ANALYSIS AND APPLIED MATHEMATICS (ICNAAM 2012), VOLS A AND B Book Series: AIP Conference Proceedings Volume: 1479 Pages: 1399-1402 DOI: 10.1063/1.4756419 Published: 2012

C91. D.F. Papadopoulos O.T. Kosmas and T.E. Simos, Deriving Numerical Techniques with Zero Phase-Lag and Derivatives for Initial Value Problems of Second Order, Book Editor(s): Simos, TE; Psihoyios, G; Tsitouras, C; et al., Conference: International Conference of Numerical Analysis and Applied Mathematics (ICNAAM) Location: Kos, GREECE Date: SEP 19-25, 2012, Sponsor(s): European Soc Computat Methods Sci, Engn & Technol (ESCMSET); R M Santilli Fdn, Source: NUMERICAL ANALYSIS AND APPLIED MATHEMATICS (ICNAAM 2012), VOLS A AND B Book Series: AIP Conference Proceedings Volume: 1479 Pages: 1407-1410 DOI: 10.1063/1.4756421 Published: 2012

C92 Ibraheem Alolyan and T.E. Simos, Four-Step Hybrid type Methods with Vanished Phase-Lag and its Derivatives for Each Level for the Numerical Solution of the Schrödinger Equation and Related Problems, 11th International Conference of Numerical Analysis and Applied Mathematics 2013, AIP Conference Proceedings 1558, 2406-2409 (2013); doi: 10.1063/1.4826026

C93 Z. Kalogiratou, Th. Monovasilis, and T. E. Simos, A fourth order modified trigonometrically fitted symplectic Runge-Kutta-Nyström method, AIP Conference Proceedings 1558, 1176-1180 (2013); doi: 10.1063/1.4825719

C94 D. F. Papadopoulos and T. E. Simos, A Runge-Kutta method by using phase-lag and amplification error properties for the numerical solution of orbital problems, AIP Conference Proceedings 1558, 1186 (2013); doi: 10.1063/1.4825721

C95 Th. Monovasilis, Z. Kalogiratou, and T. E. Simos, Exponentially fitted symplectic Runge-Kutta-Nyström methods derived by partitioned Runge-Kutta

methods, AIP Conference Proceedings 1558, 1181-1185 (2013); doi: 10.1063/1.4825720

C96 T. E. Simos, G. Psihoyios, and Ch. Tsitouras, Preface: Proceedings of the International Conference on Numerical Analysis and Applied Mathematics 2013 (ICNAAM-2013), AIP Conference Proceedings 1558, 1-2 (2013); doi: 10.1063/1.4825406

C97 Ramos, H, Kalogiratou, Z., Monovasilis, Th., Simos, T.E., An optimized two-step hybrid block method for solving general second order initial-value problems of the form $y'' = f(x, y, y')$, International Conference on Numerical Analysis and Applied Mathematics 2014, ICNAAM 2014; Rodos Palace Hotel Rhodes; Greece; 22 September 2014 through 28 September 2014; Code 111492, AIP Conference Proceedings Volume 1648, 10 March 2015, Article number 810006

C98 Sfetsioris, D, Simos, T.E., Limb volume measurements for the assessment of lymphedema. Methodological issues, , International Conference on Numerical Analysis and Applied Mathematics 2014, ICNAAM 2014; Rodos Palace Hotel, Rhodes; Greece; 22 September 2014 through 28 September 2014; Code 111492, AIP Conference Proceedings, Volume 1648, 10 March 2015, Article number 850137

C99 Kalogiratou, Z, Monovasilis, Th, Ramos, H, Simos, T.E., Trigonometrically fitted two step hybrid methods for the numerical solution of the Schrödinger equation, International Conference on Numerical Analysis and Applied Mathematics 2014, ICNAAM 2014; Rodos Palace Hotel, Rhodes; Greece; 22 September 2014 through 28 September 2014; Code 111492, AIP Conference Proceedings, Volume 1648, 10 March 2015, Article number 810008

C100 Monovasilis, Th, Kalogiratou, Z, Ramos, H, Simos, T.E., A new approach on the construction of trigonometrically fitted two step hybrid methods, International Conference on Numerical Analysis and Applied Mathematics 2014, ICNAAM 2014; Rodos Palace Hotel, Rhodes; Greece; 22 September 2014 through 28 September 2014; Code 111492, AIP Conference Proceedings, Volume 1648, 10 March 2015, Article number 810009

C101 Papadopoulos, D.F., Simos, T.E., An embedded RKN method for the numerical integration of oscillatory problems International Conference on Numerical Analysis and Applied Mathematics 2014, ICNAAM 2014; Rodos Palace Hotel Rhodes; Greece; 22 September 2014 through 28 September 2014; Code 111492, AIP Conference Proceedings, Volume 1648, 10 March 2015, Article number 810010

C102 Alolyan, I, Simos, T.E., Implicit three-step methods with phase-lag and its derivatives equal to zero for the numerical solution of the Schrödinger equation and related problems, International Conference on Numerical Analysis and Applied Mathematics 2014, ICNAAM 2014; Rodos Palace Hotel, Rhodes; Greece; 22 September 2014 through 28 September 2014; Code 111492 AIP Conference Proceedings, Volume 1648, 10 March 2015, Article number 850138

C103 Ramos, H, Kalogiratou, Z, Monovasilis, Th., Simos, T.E., A trigonometrically fitted optimized two-step hybrid block method for solving initial-value problems of the form $y'' = f(x, y, y')$ with oscillatory solutions, International Conference on Numerical Analysis and Applied Mathematics 2014, ICNAAM 2014; Rodos Palace Hotel, Rhodes; Greece; 22 September 2014 through 28 September 2014; Code 111492, AIP Conference Proceedings, Volume 1648, 10 March 2015, Article number 810007

C104 Simos, T.E., Tsitouras, Ch., Preface: Proceedings of the international conference on numerical analysis and applied mathematics 2014 (ICNAAM-2014) (Editorial), International Conference on Numerical Analysis and Applied Mathematics 2014, ICNAAM 2014; Rodos Palace Hotel, Rhodes; Greece; 22 September 2014 through 28 September 2014; Code 111492, AIP Conference Proceedings, Volume 1648, 10 March 2015, Article number 010001

C105 Alolyan, I, Simos, T.E., Six-step methods with vanished phase-lag and its first derivatives for the approximate solution of the Schrödinger equation and related problems, International Conference of Computational Methods in Sciences and Engineering 2014, ICCMSE 2014; Metropolitan Hotel, Athens; Greece; 4 April 2014 through 7 April 2014; Code 112227, AIP Conference Proceedings, Volume 1618, 6 October 2014, Pages 1026-1030

C106 Simos, T.E., A linear four-step method with vanished phase-lag and its first and second derivatives for the numerical solution of periodic initial and/or boundary value problems, International Conference of Computational Methods in Sciences and Engineering 2014, ICCMSE 2014; Metropolitan Hotel, Athens; Greece; 4 April 2014 through 7 April 2014; Code 112227, AIP Conference Proceedings, Volume 1618, 6 October 2014, Pages 1031-1035

C107 Kalogiratos, Z., Monovasilis, T., Simos, T.E., A sixth order symmetric and symplectic diagonally implicit Runge-Kutta method , International Conference of Computational Methods in Sciences and Engineering 2014, ICCMSE 2014; Metropolitan Hotel, Athens; Greece; 4 April 2014 through 7 April 2014; Code 112227, AIP Conference Proceedings, Volume 1618, 6 October 2014, Pages 833-838

C108 Kanavos, A.N., Papadopoulos, D.F., Simos, T.E., A modified Runge-Kutta method with increased phase-lag and amplification error properties for the numerical solution of orbital problems, International Conference of Computational Methods in Sciences and Engineering 2014, ICCMSE 2014; Metropolitan Hotel, Athens; Greece; 4 April 2014 through 7 April 2014; Code 112227, AIP Conference Proceedings, Volume 1618, 6 October 2014, Pages 850-854

C109 Simos, T.E., Kalogiratos, Z., Monovasilis, T., Preface: Proceedings of the international conference of computational methods in sciences and engineering 2014 (ICCMSE-2014) (Editorial), International Conference of Computational Methods in Sciences and Engineering 2014, ICCMSE 2014; Metropolitan Hotel, Athens; Greece; 4 April 2014 through 7 April 2014; Code 112227, AIP Conference Proceedings, Volume 1618, 6 October 2014, Pages 1-2

C110 Alolyan, Ibraheem; Simos, T. E., A Family of Implicit Six-Step Methods with Vanished Phase-Lag and its Derivatives for the Numerical Solution of the Schrodinger Equation and Related Problems, Edited by: Simos, TE; Kalogiratos, Z; Monovasilis, T. Conference: International Conference of Computational Methods in Sciences and Engineering (ICCMSE) Location: Athens, GREECE Date: MAR 20-23, 2015, INTERNATIONAL CONFERENCE OF COMPUTATIONAL METHODS IN SCIENCES AND ENGINEERING 2015 (ICCMSE 2015) Book Series: AIP Conference Proceedings Volume: 1702 Article Number: 190028 Published: 2015

C111 Papadopoulos, D. F.; Simos, T. E., An Embedded Phase-fitted and Amplification-fitted RKN Method for the Numerical Integration of Oscillatory Problems, Edited by: Simos, TE; Kalogiratou, Z; Monovasilis, T., Conference: International Conference of Computational Methods in Sciences and Engineering (ICCMSE) Location: Athens, GREECE Date: MAR 20-23, 2015, INTERNATIONAL CONFERENCE OF COMPUTATIONAL METHODS IN SCIENCES AND ENGINEERING 2015 (ICCMSE 2015) Book Series: AIP Conference Proceedings Volume: 1702 Article Number: 190022 Published: 2015

C112 Simos, T.E., Kalogiratou, Z., Monovasilis, T., Preface: Proceedings of the International Conference of Computational Methods in Sciences and Engineering 2015 (ICCMSE-2015), AIP Conference Proceedings Volume: 1702, Article Number: 010001 (2016)

C113 A. Michalas, Z. Kalogiratou, Th. Monovasilis, and T. E. Simos, Numerical integration of Maxwell equations with symplectic integrators, AIP Conference Proceedings Volume: 1738, Article number : 480130 (2016); doi: <http://dx.doi.org/10.1063/1.4952366>

C114 L. Petrakis, Z. Kalogiratou, Th. Monovasilis, and T. E. Simos, Numerical integration of Chaplain and Stuart model, AIP Conference Proceedings Volume: 1738, Article number : 480131 (2016); doi: <http://dx.doi.org/10.1063/1.4952367>

C115 Z. Kalogiratou, Th. Monovasilis, and T. E. Simos, Two step hybrid methods of 7th and 8th order for the numerical integration of second order IVPs, AIP Conference Proceedings Volume: 1738, Article number : 480132 (2016); doi: <http://dx.doi.org/10.1063/1.4952368>

C116 Th. Monovasilis, Z. Kalogiratou, and T. E. Simos, Trigonometrically fitted two step hybrid method for the numerical integration of second order IVPs, AIP Conference Proceedings Volume: 1738, Article number : 480133 (2016); doi: <http://dx.doi.org/10.1063/1.4952369>

C117 Ibraheem Alolyan and T. E. Simos, A family of two-stages implicit six-step methods with vanished phase-lag and its derivatives, AIP Conference

Proceedings Volume: 1738, Article number : 480135 (2016); doi: <http://dx.doi.org/10.1063/1.4952371>

C118 T.E. Simos and Ch. Tsitouras, Preface: Proceedings of the International Conference on Numerical Analysis and Applied Mathematics 2015 (ICNAAM-2015), AIP Conference Proceedings Volume: 1738, Article number : 010001 (2016); doi: <http://dx.doi.org/10.1063/1.4951742>

C119 Th. Monovasilis, Z. Kalogiratou and T.E.Simos, Trigonometrical Fitting Conditions for Two Derivative Runge Kutta Methods, International Conference of Computational Methods in Sciences and Engineering 2016 (ICCMSE 2016), AIP Conf. Proc. 1790, 150029-1–150029-5; doi: [10.1063/1.4968768](http://dx.doi.org/10.1063/1.4968768)

C120 Simos, T.E., Kalogiratou, Z., Monovasilis, T., Preface: Proceedings of the International Conference of Computational Methods in Sciences and Engineering 2016 (ICCMSE-2016), AIP Conference Proceedings Volume: 1790, pp. 010001-1 - 010001-2 (2016); doi: <http://dx.doi.org/10.1063/1.4968624>

C121 Z. Kalogiratou, Th. Monovasilis and T.E.Simos, A Modified Seventh Order Two Step Hybrid Method for the Numerical Integration of Oscillatory Problems, International Conference of Computational Methods in Sciences and Engineering 2016 (ICCMSE 2016), AIP Conf. Proc. 1790, 150030-1–150030-5; doi: [10.1063/1.4968769](http://dx.doi.org/10.1063/1.4968769)

C122 P.I. Stasinou and T.E. Simos, Symmetric Embedded Predictor–Corrector (EPCM) Methods with Vanished Phase–lag and its Derivatives for the Numerical Solution of the Schrödinger Equation, International Conference of Computational Methods in Sciences and Engineering 2016 (ICCMSE 2016), AIP Conf. Proc. 1790, 150034-1–150034-6; doi: [10.1063/1.4968773](http://dx.doi.org/10.1063/1.4968773)

C123 K.A. Giannakopoulos and T.E. Simos, Symmetric Eight–Step Embedded Methods (SESM) with Vanished Phase-lag and its Derivatives for the Numerical Solution of the Schrödinger Equation and Related Problems, International Conference of Computational Methods in Sciences and Engineering 2016 (ICCMSE 2016), AIP Conf. Proc. 1790, 150035-1–150035-6; doi: [10.1063/1.4968774](http://dx.doi.org/10.1063/1.4968774)

C124 Z. Kalogiratou, Th. Monovasilis, and T. E. Simos, Order conditions for two derivative Runge Kutta methods up to order six, AIP Conference

Proceedings 1906, 200020 (2017); <https://doi.org/10.1063/1.5012496>, Nov 28, 2017

C125 Th. Monovasilis, Z. Kalogiratou, and T. E. Simos, Modified two-derivative Runge-Kutta methods for solving oscillatory problems, AIP Conference Proceedings 1906, 200021 (2017); <https://doi.org/10.1063/1.5012497>, Nov 28, 2017

C126 T. E. Simos, A family of four stages embedded explicit six-step methods with eliminated phase-lag and its derivatives for the numerical solution of the second order problems, AIP Conference Proceedings 1906, 200022 (2017); <https://doi.org/10.1063/1.5012498>, Nov 28, 2017

C127 P. I. Stasinou, and T. E. Simos, Symmetric embedded predictor–predictor–corrector (EPPCM) methods with vanished phase-lag and its derivatives for second order problems, AIP Conference Proceedings 1906, 200023 (2017); <https://doi.org/10.1063/1.5012499>, Nov 28, 2017

C128 K. A. Giannakopoulos, and T. E. Simos, Symmetric three–stages ten–step embedded methods (S3S10SEME) with optimal phase properties for the numerical solution of second order problems, AIP Conference Proceedings 1906, 200024 (2017); <https://doi.org/10.1063/1.5012500>, Jul 21, 2017

C129 Z. Kalogiratou, Th. Monovasilis, and T. E. Simos, Construction of two derivative Runge Kutta methods of order five, AIP Conference Proceedings 1863, 560092 (2017); <https://doi.org/10.1063/1.4992775>, Jul 21, 2017

C130 Th. Monovasilis, Z. Kalogiratou, and T. E. Simos, Trigonometrically fitted two derivative Runge Kutta methods with three stages, AIP Conference Proceedings 1863, 560093 (2017); <https://doi.org/10.1063/1.4992776>, Jul 21, 2017

C131 P. I. Stasinou, and T. E. Simos, Symmetric embedded predictor–corrector (EP2CM) methods with vanished phase-lag and its derivatives for second order problems, AIP Conference Proceedings 1863, 560096 (2017); <https://doi.org/10.1063/1.4992779>, Jul 21, 2017

C132 K. A. Giannakopoulos, and T. E. Simos, Symmetric three–stages eight–step embedded methods (S3SESM) with eliminated phase-lag and its derivatives for the numerical solution of second order problems, AIP

Conference Proceedings 1863, 560097 (2017);
<https://doi.org/10.1063/1.4992780>, Jul 21, 2017

C133 T. E. Simos, A family of three stages embedded explicit six–step methods with eliminated phase-lag and its derivatives for the numerical solution of second order problems, AIP Conference Proceedings 1863, 560098 (2017); <https://doi.org/10.1063/1.4992781>

C134 T.E. Simos and Ch. Tsitouras, Preface: International Conference of Numerical Analysis and Applied Mathematics (ICNAAM 2017), AIP Conference Proceedings 1978, 010001 (2018); doi: 10.1063/1.5043643, <https://doi.org/10.1063/1.5043643>

C135 Z. Kalogiratou, Th. Monovasilis, and T. E. Simos, Two derivative Runge Kutta methods with minimum phase-lag and amplification error, AIP Conference Proceedings 1978, 470108 (2018); doi: 10.1063/1.5044178, <https://doi.org/10.1063/1.5044178>

C136 Th. Monovasilis, Z. Kalogiratou, and T. E. Simos, Phase fitted and amplification fitted two derivative Runge Kutta methods, AIP Conference Proceedings 1978, 470109 (2018); doi: 10.1063/1.5044179, <https://doi.org/10.1063/1.5044179>

C137 P. I. Stasinou, and T. E. Simos, Symmetric embedded predictor3–Corrector (EP3CM) methods with vanished phase–lag and its derivatives, AIP Conference Proceedings 1978, 470110 (2018); doi: 10.1063/1.5044180, <https://doi.org/10.1063/1.5044180>

C138 K. A. Giannakopoulos, and T. E. Simos, Symmetric four–stages ten–step embedded methods (s4s10SEMB) with improved phase properties, AIP Conference Proceedings 1978, 470111 (2018); doi: 10.1063/1.5044181, <https://doi.org/10.1063/1.5044181>

C139 T. E. Simos, A family of five–stages embedded explicit six–step schemes with vanished phase–lag and its derivatives, AIP Conference Proceedings 1978, 470112 (2018); doi: 10.1063/1.5044182, <https://doi.org/10.1063/1.5044182>

C140 Theodore E. Simos, Vladislav N. Kovalnogov, and Igor V. Shevchuk, Perspective of mathematical modeling and research of targeted formation of disperse phase clusters in working media for the next-generation power

engineering technologies, AIP Conference Proceedings 1863, 560099 (2017); doi: 10.1063/1.4992782, <http://dx.doi.org/10.1063/1.4992782>

C141 Professor Dr. T.E. Simos, Professor Dr. Zacharoula Kalogiratou, Associate Prof. Dr. Theodore Monovasilis, Preface: Proceedings of the International Conference of Computational Methods in Sciences and Engineering 2017 (ICCMSE-2017). AIP Conference Proceedings 1906, 010001 (2017), <https://doi.org/10.1063/1.5012276>

C142 Professor Dr. T.E. Simos, Professor Dr. Zacharoula Kalogiratou, Associate Prof. Dr. Theodore Monovasilis, Preface: Proceedings of the International Conference of Computational Methods in Sciences and Engineering 2018 (ICCMSE-2018)

Citation: AIP Conference Proceedings 2040, 010001 (2018); doi: 10.1063/1.5079040, <https://doi.org/10.1063/1.5079040>

C143 Ibraheem Aloyan, and T. E. Simos, A family of six–stages embedded explicit six–step schemes with optimized properties, AIP Conference Proceedings 2040, 150016 (2018); doi: 10.1063/1.5079219, <https://doi.org/10.1063/1.5079219>

C144 P. I. Stasinou, and T. E. Simos, Symmetric embedded predictor4–corrector (EP4CM) complete in phase methods, AIP Conference Proceedings 2040, 150017 (2018); doi: 10.1063/1.5079220, <https://doi.org/10.1063/1.5079220>

C145 K. A. Giannakopoulos, and T. E. Simos, Symmetric five–stages ten–step complete in phase embedded methods (S5S10SEMB), AIP Conference Proceedings 2040, 150018 (2018); doi: 10.1063/1.5079221, <https://doi.org/10.1063/1.5079221>

C146 Th. Monovasilis, Z. Kalogiratou, and T. E. Simos, Comparison of two derivative Runge Kutta methods, AIP Conference Proceedings 2040, 150019 (2018); doi: 10.1063/1.5079222, <https://doi.org/10.1063/1.5079222>

C147 Z. Kalogiratou, Th. Monovasilis, and T. E. Simos, Trigonometrically fitted two derivative Runge Kutta methods for the Schrödinger equation, AIP Conference Proceedings 2040, 150020 (2018); doi: 10.1063/1.5079223, <https://doi.org/10.1063/1.5079223>

E. BOOK CHAPTERS

BC1. Z. Kalogiratou, Th. Monovasilis and T. E. Simos, Symplectic Partitioned Runge-Kutta Methods for the Numerical Integration of Periodic and Oscillatory Problems, Annals of the European Academy of Sciences, Recent Advances in Computational and Applied Mathematics (Editor: T.E. Simos), 2011, Pages 169-208

F. BOOK REVIEW

BR1. T.E. Simos, An introduction to Computational Physics by Tao Pang, Cambridge University Press, September 1997, ISBN: 0-521-48143-0, *Computers & Chemistry*, 22., 353-354(1998).